



Note: No buildings within 300 feet of location.

73° 06' 15" loc	15'
38° 30' 14.25"	1.425
81° 30' 14.69"	7.692

Company	Devon Energy Corporation	
Address	P.O. Box 1433 - CHARLESTON, W. Va. 25325	
Farm	E.E. WALKER	
Tract	Acres 114	Lease No. WV 201
Well (Farm) No.	ONE	Serial No. 0-20
Quadrangle	CHARLESTON N.E.	
County	KANAWHA	
District	ELK	
Engineer	Robert L. Hyde	
Engineer's Registration No.	646	
File No.	3	Drawing No. W.O. 169
Date	SEPT. 29, 1936. Scale 1 INCH = 500 FEET	

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-301-P

† Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch space on border of original tracing.

47/039

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WELL RECORD

XVI

Permit No. Kan 301

Gas Well

Charleston Quad.

CASING & TUBING

Company	West Va. Gas Corp.	13	22'	22'
Address	401 Union Bldg. Charleston, W.Va.	10	486'	-
Farm	E.E. Walker Acres 114	8 1/4	1516'	1516'
Location	Aarons Fork	6-5/8	4799'	4799'
Well No.	1 Serial #0-20 Elev. 698.7	2-3/8	4872'	4872'
District	Elk County Kanawha			
Surface	E.E. Walker	Casing cemented size 6 5/8, 400'		
Address	Elkview, W.Va.			
Mineral	E.E. Walker			
Address	Elkview, W.Va.			
Drilling	Commenced 11-6-36			
	Completed 4-3-37			
Volume	Tubed in at 6300 M	Cu. Ft. (47 M Gas in Shale, 325# R.P. 24 hr)		
Rock Press.	1200# 48 hrs.			

1.435 30'
1.73 W. 30'

Formation	Color	Hor	Top	Bottom	Result	Formation	Color	Hor	Top	Bottom	Result
Surface			0	18							
Mud	blue		18	70							
Sand			70	100							
Mud	blue		100	270							
Shell			270	272							
Slate			272	280							
Coal			280	282	No 5 1/8						
Slate			282	346							
Sand			346	400							
Slate			400	430							
Sand			430	480							
Slate			480	560							
Sand			560	610							
Slate & Shell			610	725							
Sand			725	758							
Slate & Shells			758	816							
Salt Sand			816	910							
Slate			910	916							
Salt Sand			916	1282							
Slate			1282	1300							
Lime			1300	1375							
Big Lime			1375	1526							
Sand	white		1526	1550							
Slate			1550	1653							
Lime			1653	1680							
Slate & Shells			1680	1870							
Shell			1870	1876							
Slate & Shells			1876	3150							
Shell		H	3150	3250							
Lime			3250	3540							
Slate & Shell			3540	3645							
Shale	brown		3645	3733							
Slate & Shells			3733	3878							
Lime			3878	3905	Show						
Slate	white		3905	4310	Gas						
Shale	brown		4310	4630	4270 &						
Slate	white		4630	4665	Gas						
Shale	black		4665	4726	4360 &						
Corniferous					Gas						
Lime			4726	4837	4565 &						
Oriskany			4837	4859	Gas						
					4705						
TOTAL DEPTH				4859							
					Gas pay						
					4855-59						

1526
1375
151-827

XV

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Kan-301 (Drill Deeper)
- Quad.

Gas Well

CASING & TUBING

Company	West Virginia Gas Corp.	13-1/2	22
Address	401 Union Bg., Charleston, W. Va.	10	486
Farm	E. E. Walker ACRES 114	8-1/4	1516
Location	Aprons Fork	8-5/8	4779
Well No.	1, Serial #0-20 ELEV. 698.7	3	4872
District	Elk - Kanawha County		
Surface & Mineral	E. E. Walker, Elkview, W. Va.		
Commenced	Nov. 8, 1939		
Completed	Nov. 24, 1939		
Date shot	-		
Open Flow	15/10ths Water in 6-5/8 OD		
Volume	Tubed in at 1431 M C F		
Rock Pressure	382 lbs. 24 hrs.		
Water	-		

Started to deepen at 4859

Oriskany Sand	4859	4861
Lime	4880	4895
Oriskany Sand	4895	4901

Total Depth 4901

Gas pay:	4859-4861	- test	3/10 W	6-5/8" OD	(640M)
	4866-4871	- "	4/10 W	"	(736M)
	4895-4897	- "	30/10 W	"	(2024M)

Most after well was open 6 hrs. 15/10 W 6-5/8" OD (1431M)