



Latitude **38° 23'**  
38 22 30

Longitude **81° 45'**  
81 18 44



W - 1.5  
S - 1.49

New Location X  
Drill Deeper  
Abandonment

12870 FT. TO UPTON CREEK  
MILE POST 461 F.M.

Company WESTVACO CHLORINE PRODUCTS CORP  
 Address SOUTH CHARLESTON, W. VA.  
 Farm \_\_\_\_\_  
 Tract \_\_\_\_\_ Acres \_\_\_\_\_ Lease No. \_\_\_\_\_  
 Well (Farm) No. 25 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 585.2'  
 Quadrangle SAINT ALBANS NE / Plum Creek  
 County KANAWHA District JEFFERSON  
 Engineer C. R. Smith  
 Engineer's Registration No. 941  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 4-12-40 Scale 1" = 100 FT.

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

**WELL LOCATION MAP**  
FILE NO. KAN-698

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

6-4-213

WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
WELL RECORD

Permit No. Kan-698  
Albans Quad.

Salt Brine Well

CASING & TUBING

Company Westvaco Chlorine Products Corp.  
Address So. Charleston, W. Va.  
Farm Lots 76 & 77 Bk. 1, Upton Addition  
Location Kanawha  
Well No. 25 ELEV. 585  
District Jefferson - Kanawha County  
Surface & Mineral Westvaco Chlorine Products Co.  
Commenced March 15, 1940  
Completed April 25, 1940  
Shot 4/26/40 & 4/27/40  
Open Flow -  
Volume -  
Rock Pressure -  
Oil -  
Water -

16 51 51  
14" 324-6 324-6  
10 836 836  
8-1/4 1458 pulled  
Packer - Oil Well  
Bottom Hole  
Size - 16" Rubber  
Depth set - 836  
Coal at:  
230' 36"



MAY 13 1940

Clay	yl	0	10	
Mud	rd	10	35	
Sand	gr	35	40	W 40
Lime & Sand		40	55	
Slate	gr	55	145	
Sand	rd	145	160	
Slate	wh	160	210	
Sand	wh	210	230	
Coal		230	233	
Sand		233	240	HPW
Slate	bk	240	275	
Sand		275	405	
Slate	bk	405	425	
Sand	gr	425	440	
Slate	bk	440	460	
Sand	gr	460	490	
Slate		490	510	
Sand	rd	510	540	
Slate	gr	540	605	
Sand	gr	605	645	
Slate	bk	645	775	
Slate	gr	775	790	
Slate	bk	790	806	
Salt Sand Dry		806	860	
Lime & Shale	bk	860	870	
Salt Sand Dry		870	882	
Slate	bk	882	890	
Slate & Shale		890	905	
Lime & Sand		905	910	
Salt Sand Dry		910	942	
Salt Sand Pay		942	1040	SW
Salt Sand Pay		1040	1210	SW
Lime & Shale		1210	1300	
Salt Sand Dry		1300	1325	
Salt Sand Pay		1325	1438	SW
Little Lime		1438	1465	
Pencil Cave		1465	1468	
Big Lime		1468	1640	Gas, about 50,000
Keener Sand		1640	1652	
Big Injun		1652	1707	

Small Pay, 1  
bailer per hour.  
Big pay, rose to 250' from top  
Shot 1040-1210 - 170 qts. Nitro glycerine  
Shot 1300-1440 - 140 qts. Nitro glycerine  
Shot 1652 - 1707 - 60 qts. Nitro Glycerine

WESTVACO CHLORINE PRODUCTS CORP. NO. 25 SALT WELL.

.....District, Kanawha County, W. Va.  
 By Westvaco Chlorine Products Corp., South Charleston, W. Va.  
 Elevation, 585'.

Located: Lots 76 and 77, Block 1, Upton Addition.

Drilled in April 25.....at 12 midnight. Guy B. Ray, Contractor.

March 15, 1940 - about 50,000 cu. ft. gas in Big Lime.

16" casing, 61'; 14", 324' 6"; 10", 636'; 8", 1468'.

Shooting record: 1040-1210', 170 qts.; 1300-1440', 140 qts.;  
 1652-1707', 60 qts.

Record from Martens Sept. 16, 1944. Old File No. 1052.

	Top.	Bottom.
Yellow clay	0	10
Red mud	10	35
Gray sand	35	40
Lime and sand	40	55
Gray slate	55	145
Red sand	145	160
White slate	160	210
White sand	210	230
Coal	230	233
Sand (hole full of water)	233	240
Black slate	240	275
Sand	275	405
Black slate	405	425
Gray sand	425	440
Black slate	440	460
Gray sand	460	490
Slate	490	510
Red sand	510	540
Gray slate	540	605
Gray sand	605	645
Black slate	645	775
Gray slate	775	790
Black slate	790	806
Black slate	790	806
Salt Sand (dry)	806	860
Black lime and shale	860	870
Salt Sand (dry)	870	882
Black slate	882	890
Slate and shale	890	905
Lime and sand	905	910
Salt Sand (dry)	910	942
Salt Sand (small pay)	942	1040
Salt Sand (good pay)	1040	1210
Lime and shale	1210	1300
Salt Sand (dry)	1300	1325
Salt Sand (pay)	1325	1438
Little Lime	1438	1465
Pencil Cave	1465	1468
Big Lime	1468	1640
Keener Sand	1640	1652
Big Injun Sand	1652	1707
Total depth		1707