



New Location
 Drill Deeper
 Abandonment

Company GODFREY L. CABOT INC.
 Address 600 UNION BLDG. CHARLESTON W.VA.
 Farm D. HOLMES MORGAN
 Tract _____ Acres 145 Lease No. 3-467
 Well (Farm) No. 3 Serial No. 927
 Elevation (Spirit Level) 861.0
 Quadrangle KENNA
 County KANAWHA District POCA
 Engineer Charles N. Sturm
 Engineer's Registration No. 975
 File No. _____ Drawing No. _____
 Date 5-15-20 Scale 1" = 1/2 MI

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-709

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Kan-709
Kenna Quad.

Gas Well

| | | |
|-------------------|--|----------------------------|
| | | CASING & TUBING |
| Company | Godfrey L. Cabot, Inc. | 13 563 563 |
| Address | Charleston, W. Va. | 10 1802 1802 |
| Farm | D. H. Morton ACRES - | 8 2082 2082 |
| Well No. | 3 - Serial 927 ELEV. - | 7 4950 4950 |
| District | Poca - Kanawha County | 2-3/8 4950 4950 |
| Surface & Mineral | - | |
| Commenced | May 14, 1940 - | Bottom hole Packer set |
| Completed | July 1, 1940 | at 2082' - Anchor packer |
| Sect | 7/1/40 - Depth 5028 to 5038 - 20 qts. | set at 1924' |
| | " " 5051 to 5059 - 20 qts. | Perf. top - 4953 |
| Gas Flow | 11/10ths Merc. in 6-5/8" | " bot. - 4959 |
| Volume | 1590 M before shot | |
| | 4720 M. 20 minutes after shot | |
| Rock Pressure | 1025 lbs. 26 hrs. - Oriskany | |
| Water | 1965 - 2-1/2 bailers per hr. | |

| | | |
|-------------------|------|--------------|
| Big Lime | 1910 | 1940 |
| Thin Sand | 1940 | 1978 |
| Slate | 1978 | 2077 |
| Lime | 2077 | 2093 |
| Slate & Lime | 2093 | 2250 |
| Slate & Shell | 2250 | 2395 |
| Brown Shale | 2395 | 2403 |
| Berea Sand | 2403 | 2418 |
| Slate & Shell | 2418 | 3890 |
| Brown Shale | 3890 | 3969 |
| Slate & Shell | 3969 | 4075 |
| Brown Shale | 4075 | 4230 |
| Slate & Shell | 4230 | 4395 |
| Brown Shale | 4395 | 4440 |
| Slate & Shell | 4440 | 4626 |
| Brown Shale | 4626 | 4800 |
| White Slate | 4800 | 4820 |
| Brown Shale | 4820 | 4925 |
| Corniferous Lime | 4925 | 5026 |
| Oriskany | 5026 | 5066 SL 5026 |
| Lime <i>Drill</i> | 5066 | 5072 |

Gauges in Oriskany Sand

| | | |
|--------|----|-------|
| 267 M | at | 5028' |
| 270 M | " | 5033 |
| 1390 M | " | 5036 |
| 1390 M | " | 5041 |
| 1390 M | " | 5045 |
| 1390 M | " | 5047 |
| 1390 M | " | 5050 |
| 1543 M | " | 5055 |
| 1724 M | " | 5062 |
| 1724 M | " | 5065 |
| 1590 M | " | 5069 |
| 1590 M | " | 5072 |