



ABD
6/47

W - 1.05
S - 1.25

New Location +
Drill Deeper
Abandonment

Company GODFREY L CABOT INC.
 Address 600 UNION BLDG. CHARLESTON W.V.A.
 Farm J.L. MCLEAN HRS.
 Tract _____ Acres 750 Lease No. 3463
 Well (Farm) No. 5 Serial No. 955
 Elevation (Spirit Level) _____
 Quadrangle KENNA
 County KANAWHA District POCA
 Engineer Charles W. Sturm
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date Sept 16 1940 Scale 1" = 1320'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-750

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Kan-750
Kenna Quad.

Gas Well

Company Godfrey L. Cabot, Inc.
Address Charleston, W. Va.
Farm J. L. McLean Heirs ACRES -
Well No. 5 - Serial 955 ELEV. 725
Surface & Mineral -
District Poca - Kanawha County
Commenced Oct. 14, 1940
Completed Jan. 27, 1941
Shot 1/28/41 - depth 4972-4987 - 30 qts.
Volume 1,780,000 c.f. - 50 min. A.S.
Rock Pressure 1385 lbs. - 60 hrs. - Oriskany
Water -

CASING & TUBING

10-3/4	646	646
8-5/8	2002	0
7	4891	4891

8-1/4x10 Midget B.H.
Packer
7" O.D. Oriskany B.H.
Packer

Red Rock	0	60	White Shale	4156	4580
Slate - blue	60	70	Brown Shale	4580	4825
Red Rock	70	150	Black Shale	4825	4871
Sand	150	170	W 165 LBPH - Corniferous	4871	4969 SL 4969
Red Rock	170	276	Oriskany Sand	4969	5017 SL 5017
Slate - blue	276	445	Lime - 0	5017	5026
Red Rock	445	475	Sand - 0 2,480	5026	5038
Lime	475	502	Lime - 4	5038	5051 SL 5051
Slate	502	520	Total Depth		5051
Lime	520	555			
Slate&Shells	555	590			
Red Rock	590	616	GAUGES IN ORISKANY SAND - BEFORE SHOT		
Sand	616	661	1/17/41 4973	84 M	
Slate	661	676	1/17/41 4973-78	305 M	
Red Rock	676	692	1/22/41 4978-86	1,220 M	
Lime	692	730	1/22/41 4990	1,090 M	
Slate&Shells	730	750	1/22/41 4996	1,090 M	
Sand	750	790	1/22/41 4999	1,090 M	
Slate	790	815	1/23/41 5015	1,090 M	
Sand	815	850	1/23/41 5017	1,090 M	
Slate & Shells	850	946	1/24/41 5037	862 M	
Sand	946	1000	1/26/41 5049	862 M	
Slate & Shells	1000	1085			
Sand	1085	1105	GAUGES IN ORISKANY SAND - AFTER SHOT		
Slate&Shells	1105	1285	1/28/41 50 min. after shot	1,780 M	
-Salt Sand	1285	1492	W 1362		
			Level 500'		
			down		
Slate & Shells	1492	1519			
-Salt Sand	1519	1735			
-Big Lime	1735	1912			
Slate	1912	1917			
-Injun Sand	1917	1937			
Slate&Shells	1937	1988			
Black Lime	1988	2014	SL 2002		
Slate & Shells	2014	2085			
Lime	2085	2130			
Slate & Shells	2130	2358			
-Berea Sand	2358	2380	Sh. Gas		
			at 2360		
			not enough		
			to measure		
Slate & Shells	2380	3600			
Brown Shale	3600	3624			
Slate & Shells	3624	3865			
Brown Shale	3865	3963			
Lime	3963	4042			
Brown Shale	4042	4156			