



ASD
9/29

W - 1.8
S - .1

New Location †
Drill Deeper
Abandonment

Company GOODFREY L CABOT INC.
 Address 600 UNION BLDG CHARLESTON W.VA.
 Farm J.L. McLean Hrs.
 Tract _____ Acres 134 Lease No. 3-463
 Well (Farm) No. 6 Serial No. 956
 Elevation (Spirit Level) _____
 Quadrangle KENNA S.W.
 County KANAWHA District POCA
 Engineer Charles F. [unclear]
 Engineer's Registration No. 977
 File No. _____ Drawing No. _____
 Date Sept. 30 1940 Scale 1" = 132'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-757

† Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Kan-757
Kenna S. W. Quad.

Gas Well

Company Godfrey L. Cabot, Inc.,
Address Charleston, W. Va.
Farm J. L. McLean ACRES -
Well No. 6 (Serial #956) ELEV. 816.36 Gr.
District Pocahontas - Kanawha County
Surface & Mineral -
Commenced Nov. 9, 1940
Completed March 15, 1941
Shot 3/18/41 - depth 5094-5114 - 40 qts.
5126-5131 - 10 qts.
5151-5156 - 10 qts.
Volume 2,180,000 c.f. - 65 Min. after shot
Rock Pressure 1715 lbs. 18 hrs. - Oriskany
Water -

CASING & TUBING
10-3/4 878 878
8-5/8 2155
7 5026 5026
10-3/4 Casing shoe
7" OD Oriskany Packer

Gauge before shot:
119M
Gauge 65 Min. after shot:
2,180M

Top Soil	0	15	Slate&Shells	1030	1060
Red Rock	15	30	Sand	1060	1080
Sand	30	38	Slate&Shells	1080	1130
Slate&Shells	38	50	Sand	1130	1191
Red Rock	50	65	Slate	1191	1235
Shells	65	80	Sand	1235	1294
Red Rock	80	150	Slate&Shells	1294	1446
Sand	150	170	Gritty Lime	1446	1460
Red Rock	170	230	Slate	1460	1465
Sand	230	250	Salt Sand	1465	1865
Red Rock	250	270	Slate Break	1865	1867
Sand	270	290	Maxon Sand	1867	1888
Red Rock	290	375	Slate	1888	1891
Slate	375	386	Sand	1891	2004
Sand	386	395	Big Lime	2004	2108
Red Rock	395	430	Slate	2108	2113
Slate&Shells	430	472	Injun Sand	2113	2150
Sand	472	504	Slate	2150	2155
Slate	504	515	Lime	2155	2164
Sand	515	535	Slate&Shells	2164	2520
Red Rock	535	550	Brown Shale	2520	2527
Slate	550	561	Berea Sand	2527	2555
Red Rock	561	595	Slate&Shells	2555	3740
Sand	595	625	Brown Shale	3740	3780
Lime Shells	625	630	Slate&Shells	3780	4000
Pink Rock	630	642	Brown Shale	4000	4048
Slate	642	651	Slate&Shells	4048	4162
Sand	651	660	Brown Shale	4162	4280
Red Rock	660	672	Slate Grey	4280	4360
Slate & Shells	672	719	Big White	4360	4425
Pink Rock	719	733	Brown Shale	4425	4435
Sand	733	740	White Slate	4435	4690
Slate	740	750	Brown Shale	4690	5001
Red Rock	750	770	Corniferous Lime	5001	5094 SL
Lime	770	790	Oriskany	5094	5138
Red Rock	790	812	Lime Shells - O	5138	5149
Slate & Shells	812	844	2nd Oriskany Sand	5149	5162
Sand	844	860	Break - H	5162	5165
Black Slate	860	869	Helderberg Lime	5165	5184 SL
Sand	869	892	Total Depth		5184
Slate	892	894			
Sand	894	965	W 963		
Slate	965	972	LBPH	3/18/41	5 minutes
Sand	972	990		"	10 "
Slate&Shells	990	1015	SW 1561	"	15 "
			3 BPH	"	20 "
Sand	1015	1030	SW 1596	"	65 "

GAUGES IN ORISKANY SAND - After shot
3/18/41 5 minutes 2.727M
" 10 " 2.531M
" 15 " 2.439M
" 20 " 2.376M
" 65 " 2.180M

water level
280' from top
of hole