



New Location +  
 Drill Deeper .....  
 Abandonment .....

Company Godfrey L Cabot Inc.  
 Address 900 UNION BLDG. CHARLESTON W.V.  
 Farm The Poca Coal Land Co.  
PT OF 4850 AC.  
 Tract \_\_\_\_\_ Acres \_\_\_\_\_ Lease No. 3-466  
 Well (Farm) No. 6 Serial No. 1014  
 Elevation (Spirit Level) 960.41  
 Quadrangle Kenna  
 County Kanawha District Poca  
 Engineer Charles Sturm  
 Engineer's Registration No. 775  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Oct 6 1941 Scale 1" = 1320'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-877

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

Deep Well

WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
W E L L R E C O R D

Permit No. Kan 877		Gas Well
Kenna Quad		CASING & TUBING
Company	Godfrey L. Cabot, Inc.	10 890 890 Casing
Address	Charleston, W.Va.	8 5/8 2172 - Shoe
Farm	Poca Coal Land Company Acres	--7 5061 5061
Location	--	2 3/8 5162 5162 Bottom
Well No.	6 Ser. 1014 Elev. 960.41	joint welded. Line
Surface	--	pipe as tubing.
Mineral	--	
District	Poca Kanawha County	8 5/8 " Spang B.H. Packer;
Commenced	April 29, 1942	28 sacks aquagel.
Completed	July 15, 1942	7" Spec. Orisk. B.H.
Shot	7-15-42 Depth 5131- 5151	40 qts. Packer; 40 sacks
Volume	4500 MCF A.S.(20 Mins);	D.S. 1889 MCF aquagel. 4
Rock Pressure	1530 lbs. 22 hrs. Oriskany	fibertex.
Fresh Water	--	Tubed and shut in 7-25-42
Salt Water	Level 400'	Perf. top 5137 5138
		Perf. bot 5154 5160

Red Rock	0	30	GAUGES IN ORISKANY * B.S.
Slate & Shells Gray	30	85	7-5-42 5132 1338 M
Red Rock	85	177	shut down to test casing
Lime Shells Gray	177	214	7-7- 5132 1279 M
Red Rock	214	295	5140 1279 M
Shale Gray	295	337	5136 1390 M
Sand, Gray	337	375	5140 1336 M
Slate & Shells	375	404	5140 1279 M
Red Rock	404	560	5141 1443 M
Slate & Shells Gray	560	590	5141 1220 M
Red Rock	590	627	5142 1157 M
Lime Gray	627	642	5144 1157 M
Red Rock	642	672	5148 2112 M
Lime Gray	672	690	5149 2182 M
Slate Gray	690	695	5151 1928 M
Red Rock	695	700	5156 1928 M
Lime Gray	700	763	5166 1928 M
Slate Gray	763	783	GAUGES IN ORISKANY A.S.
Red Rock	783	800	Gauge B.S. 1889 M
Shale, Gray	800	830	5 mins A.S. 4927 M
Red Rock	830	860	10 " " 4720 M
Slate & Shells Gray	860	877	15 " " 4500 M
Coal Blossom Black	877	878	20 " " 4500 M
Slate & Shells Gray	878	890	
Lime Gray	890	906	
Slate & Lime Shells Gray	906	942	
Sandy Lime Gray	942	983	
Shale Dk. Gray	983	1029	
Lime Shells & Slate Gray	1039	1200	
Shale Gray	1200	1440	
Sand - <del>Sand</del> Gray	1440	1955	
Lime - <del>Sand</del>	1955	2107	
Sand - <del>Sand</del>	2107	2148	Gas 2027
Slate & Shells	2138	2176	
Gritty Lime	2176	2271	
Slate & Shells	2271	3158	
Slate & Gray Shale	3158	3548	
Gray Shale	3548	3825	
Brown Shale	3825	4394	
White Slate	4394	4755	
Brown Shale	4755	4860	
White Slate	4860	4890	
Brown Shale	4890	5040	
Corniferous Lime	5040	5130	
Oriskany Sand	5130	5166	SL