



New Location  X  
 Drill Deeper   
 Abandonment

1 - S-253, W-008

Company COLUMBIAN CARBON CO.  
 Address CHARLESTON, W. VA.  
 Farm W. P. COBB  
 Tract \_\_\_\_\_ Acres 144 Lease No. C-2876  
 Well (Farm) No. 1 Serial No. GW-925  
 Elevation (Spirit Level) 669.0  
 Quadrangle CHARLESTON-NE-1  
 County KANAWHA District ELK  
 Engineer *John H. Walker*  
 Engineer's Registration No. 1341  
 File No. \_\_\_\_\_ Drawing No. 399  
 Date Sept. 17, 1946 Scale 1" = 660'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-1314

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

*Deerwell*

WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
W E L L R E C O R D

Gas Well  
CASING & TUBING

Permit No. Kan 1314			
Charleston Quad.			
Company	Columbian Carbon Company		
Address	Box 873, Charleston 23, W.Va.	13 3/8	58'11 Same
Farm	W.P. Cobb Acres 144	10 1/2	31'3 0
Location	Little Sandy	8 5/8	1471'3 0
Well No.	1 ( GW 925) Elev. 670.48 DF	6 5/8	4937'2 Same
District	Elk Kanawha County	2 3/8	5042'1 Same
Surface	W.P. Cobb, Elkview, W.Va.	3 1/2	31'10 Same
Commenced	10-15-46		
Completed	2-2-47		
Date shot	2-3-47 Depth 5001' to 5041'		Coal at 287' 24"
	2-13-47 Depth 4996' to 5043'		
	with 300# EL-409, 25# 80% gelatin		
	2650# EL. 400, 17# 80% gelatin		
	246,000 C.F.		
Volume			
Rock Pressure	1250 lbs. 11 days		
Fresh Water	195' 5-13" blrs. per hr.; 470' H.F.		

Clay	0	48	CEMENT RECORD: 10-22-46 10 1/2" casing.
Sand	48	54	Ran 6 sacks aquagel and 25# Fibrotex.
Slate	54	120	Circulation 260' - Returns 272'
Sand	120	125	
Slate	125	228	11-17-46 8 5/8" casing. Ran 18 sacks
Sand	228	278	Aquagel and 50# Fibrotex. Returns O.K.
Slate	278	287	
Coal	287	289	1-11-47 6 5/8" casing. Ran 50 sacks
Sand	289	347	Aquagel and 1 bale Fibrotex. No
Slate	347	365	circulation or returns.
Lime	365	415	C.C.Co. Crews.
Sand	415	520	
Slate	520	720	
Sand	720	748	
Slate	748	775	
Lime	775	785	
Sand	785	795	
Slate	795	910	
Salt Sand	910	1289	
Slate	1289	1291	
Maxon Sand	1291	1352	
Slate	1352	1380	
Sand	1380	1414	
Lime-Lime	1414	1442	
Slate	1442	1456	SLM
Big Lime	1456	1605	
Big Injun Sand	1605	1634	
Slate	1634	2634	
Slate Shells	2634	3748	
Shale	3748	3929	
Slate Shells	3929	4048	
White Slate	4048	4550	
Brown Shale	4550	4768	
White Slate	4768	4800	
Shale	4800	4877	
Lime	4877	4890	SLM
Coniferous Lime	4890	5001	SLM
Oriskany Sand	5001	5027	SLM
Lime	5027	5076	
Black Lime	5076	5078	SLM
Total Depth		5078	SLM

4890	5001	5037
670		670
4220	4331	4367

Gas Pay: 5014-18; 5020-21; 5026-28