



M.C. - SEPT. 1946

1.84 S.  
0.52 W.  
1 NE (J-S)

New Location X  
Drill Deeper .....  
Abandonment .....

Company COLUMBIAN CARBON CO.  
 Address CHARLESTON W.VA.  
 Farm MARY E. NEELEY ET AL  
 Tract \_\_\_\_\_ Acres 158.5 Lease No. CT-144  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 296.9  
 Quadrangle CHARLESTON 1-184-052  
 County KANAWHA ELK  
 Engineer J.M. Sell  
 Engineer's Registration No. 772  
 File No. \_\_\_\_\_ Drawing No. 401  
 Date SEPT. 24, 1946 Scale 1" = 660'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. KAN-1315

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

Deepwell

WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
W E L L R E C O R D

Permit No. Kan 1315-P

Charleston Quad.

Company

Address

Farm

Location

Well No.

District

Surface

Mineral

Commenced

Completed

Volume

Fresh Water

Salt Water

Columbian Carbon Company

Box 873, Charleston 23, W.Va.

Mary E. Neeley Acres 168.5

Little Sandy Creek

1 (GW-924) Elev. 896.9 G

Elk Kanawha County

J.W. Shafer, R.F. D. #1,

Elkview, W.Va.

Mary E. Neeley et al

(for further addresses contact

C.C.Co.)

10-22-46

1-30-47 Depth 5192 to 5152

with EL-409 300#, 80% gelatin 25#

Dry Hole

78' 5-10" blrs. per hr.

1115' 300' Rises

Dry Hole  
CASING & TUBING

13 3/8	31'1	31'1	
10 1/2	526'5	Pld.	
8 5/8	1667'7	Pld.	
6 5/8	5079'8	1683'8	

Soil	0	20	CEMENT RECORD: 10-30-46 10 1/2" casing
Red Rock	20	75	Ran 9 sacks aquagel mixed 6%, Fibrotex.
Blue Sand	65	105	Circulation and returns at 375'
Blue Slate	105	130	
Red Rock	130	200	11-25-46 8 5/8" casing. Ran 20 sacks
Slate & Shells	200	240	Aquagel mixed 6% and 50# Fibrotex.
Red Rock	240	270	Circulation and returns.
Slate & Shells	270	360	
Sand	360	502	1-15-47 6 5/8" casing. Ran 50 sacks
Slate	502	522	Aquagel mixed 6%, Fibrotex. No
Sand	522	560	circulation. C.C. Co. Crews.
Slate & Shells	560	620	
Sand	620	660	
Slate & Shells	660	670	
Sand	670	735	
Slate & Shells	735	795	
Sand	795	1005	
Slate & Shells	1005	1110	
Salt Sand	1110	1592	
Little Lime	1592	1625	
Pencil Cave	1625	1635	
Lime Shells	1635	1645	
Slate	1645	1646	SLM
Big Lime	1646	1805	Gas 1782 show
Slate - no Manganese	1805	1820	
Big Injun Sand	1820	1842	
Slate & Shells	1842	3912	
Brown Shale	3912	3975	
White Slate	3975	4000	
Brown Shale	4000	4100	
White Slate	4100	4640	
Brown Shale	4640	4690	
White Slate	4690	4733	
Brown Shale	4733	4917	
White Slate	4917	4960	
Brown Shale	4960	5031	SLM
Coniferous Lime	5031	5152	SLM
Oriskany Sand	5152	5186	
Lime	5186	5200	
Sand	5200	5218	
Lime	5218	5232	
Total Depth		5232	

DRY HOLE\* PLUGGED AND ABANDONED FEBRUARY 26, 1947