



OGIS 7.5' Loc 156
 38° 32' 30" 1.875 4.775
 81° 27' 30" 1.150 3.400
 sck

3.47 W
 4.90

New Location
 Drill Deeper
 Abandonment

OCT 19 1948

Company	UNITED FUEL GAS CO.		
Address	CHARLESTON, W.VA.		
Farm	A.I. GRUBB ET AL.		
Tract	Acres 157	Lease No.	15203
Well (Farm) No	3	Serial No.	E529
Elevation (Spirit Level)	680.5		
Quadrangle	WALTON		
County	MANAWHA District	EKA	
Engineer	[Signature]		
Engineer's Registration No.	652		
File No.	70-59	Drawing No.	
Date	10-1-48	Scale	1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON
 Deep Well
 WELL LOCATION MAP
 FILE NO. KAN-1471

* Denotes location of well on United States Topographic Map, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

4.98 S. 38° 35'
 3.76 W. 80° 25'
 SW (I-6)

P

WEST VIRGINIA DEPARTMENT OF MINES
 OIL & GAS DIVISION
 WELL RECORD

Permit No. Kan 1471				Gas Well
SW Walton Quad.				CASING & TUBING
Company	United Fuel Gas Co.			
Address	P.O. Box 1273, Charleston 25, W.Va.			
Farm	A.I. Grubb et al Acres 157			
Location	Poca Fk. of Little Sandy Cr.	13 3/8	39	39
Well No.	6424 Elev. 685.76	10 3/4	247	247
District	Elk Kanawha County	8 5/8	1464	1464
Surface		7	4930	4930
Mineral	Gladys Robertson et al, Clendenin, W.Va.			
Commenced	9-8-48			
Completed	11-29-48			
Date shot	12-1-48 Depth 5032 to 5053 with 200# EL 409 and 62 1/2# gel.			
Open flow	15/10ths M in 7"			
Volume	6,166 M Oriskany			
Rock Pressure	1125 lbs. 10 hrs.			

Surface	0	7
Blue Mud	7	46
Red Rock	46	87
Sand	87	127
Red Rock	127	163
Sand	163	329
Slate	329	442
Sand	442	456
Slate	456	519
Sand	519	570
Slate	570	755
Sand	755	770
Slate	770	791
Sand	791	820
Lime	820	830
Sand	830	865
Slate	865	905
Salt Sand	905	1360
Maxon Sand	1360	1410
Little Lime	1410	1450
Pencil Cave	1450	1452
Big Lime	1452	1584
Injun Sand	1584	1682
Slate & Shells	1682	3735
Brown Shale	3735	3980
White Slate	3980	4472
Brown Shale	4472	4770
White Slate	4770	4810
Black Slate	4810	4905
Corniferous Lime	4905	5026
Oriskany Sand	5026	5053
Total Depth	5053	SLM

4905 5036
 686 686

 4219 4350

Gas 5045-5053 Oriskany 90/10 M 7" 22# 4,093 M
 Test B.S. 3/10 M 7" 22# 2,758 M
 Shot 12-1-48 with 200# EL 409 and 62 1/2# Gel. from 5032-5053.
 Test 1 hr. A.S. 15/10 M 7" 22# 6,166 M
 Open flow 6,166 M Oriskany
 10 hr. R.P. 1125#
 Shut in 12-2-48 in 2" tubing



Deep Well