



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary
www.dep.wv.gov

Wednesday, October 12, 2022
PERMIT MODIFICATION APPROVAL
Vertical / Plugging

DIVERSIFIED PRODUCTION LLC
101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re: Permit Modification Approval for 4-S-160
47-039-02507-00-00

DIVERSIFIED PRODUCTION LLC

The Office of Oil and Gas has reviewed the attached permit modification for the above referenced permit. The attached modification has been approved and well work may begin. Please be reminded that the oil and gas inspector is to be notified twenty-four (24) hours before permitted well work is commenced.

If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin
Chief

A blue ink signature of James A. Martin, written in a cursive style.

Operator's Well Number: 4-S-160
Farm Name: KANAWHA & HOCKING C & C
U.S. WELL NUMBER: 47-039-02507-00-00
Vertical Plugging
Date Modification Issued:

Promoting a healthy environment.

10/14/2022



DIVERSIFIED
energy

To Whom it May Concern,

Attached is an amendment that has been submitted to Chief of the office of oil and gas of the West Virginia Department of Environmental Protection. The subject well is listed within the letter to the Chief.

Thank You.

RECEIVED
Office of Oil & Gas
SEP 21 2022
WV Department of
Environmental Protection



DIVERSIFIED
energy

9/16/2022

James Martin
Office of Oil and Gas
601 57th Street, SE
Charleston, WV 25304
(304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

4703902507 KANAWHA HOCKING C C 4-S-160

Attached is the approved variance order for use of Class L cement.

Sincerely,

Austin Sutler
Asset Retirement Manager

RECEIVED
Office of Oil & Gas
SEP 21 2022
WV Department of
Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, SE
Charleston, WV 25304
Phone (304) 926-0450

Harold D. Ward, Cabinet Secretary
dep.wv.gov

**BEFORE THE OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
STATE OF WEST VIRGINIA**

**IN THE MATTER OF A VARIANCE FROM)
LEGISLATIVE RULE 35CSR4) ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE)
35CSR8 SECTION 20.1,)
RELATING TO THE CEMENTING)
OF OIL AND GAS WELLS)**

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
2. Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

RECEIVED
Office of Oil & Gas
SEP 21 2022
WV Department of
Environmental Protection

Promoting a healthy environment.

10/14/2022

4. On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogrammed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OF THE STATE OF WEST VIRGINIA



James Martin, Chief
Office of Oil and Gas

RECEIVED
Office of Oil & Gas
SEP 21 2022
WV Department of
Environmental Protection

10/14/2022

47-039-02507

7020 3160 0000 1694 9244

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

Huntington, WV 25705

OFFICIAL USE

Certified Mail Fee	\$4.00	
Extra Services & Fees (check box, add fees as appropriate)	\$7.25	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.60	
Total	\$11.85	

0523
03

Postmark
Here

09/16/2022

47-039-02507 4-S-160

Sent to: ACIN, LLC

Street: 5260 Irwin Road

City: Huntington, WV 25705

PS Form 3800, June 2019 Instructions

7020 3160 0000 1694 9251

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

Charleston, WV 25304

OFFICIAL USE

Certified Mail Fee	\$4.00	
Extra Services & Fees (check box, add fees as appropriate)	\$7.25	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.60	
Total	\$11.85	

0523
03

Postmark
Here

09/16/2022

47-039-02507 4-S-160

Sent to: Investment Management Group, LLC

Street: 4010 MacCorkle Avenue, SE

City: Charleston, WV 25304

PS Form 3800, June 2019 Instructions

RECEIVED
Office of Oil & Gas
SEP 21 2022
WV Department of
Environmental Protection

10/14/2022



Kennedy, James P <james.p.kennedy@wv.gov>

Modification approval cement variance

1 message

Kennedy, James P <james.p.kennedy@wv.gov>

Wed, Oct 12, 2022 at 1:42 PM












To: Terry W Urban <terry.w.urban@wv.gov>, Austin Sutler <asutler@dgoc.com>, Phyllis Copley <pcopley@dgoc.com>

To whom it may concern, a modification has been approved for plugging permits 4703902471, 3903430, 3902522, 3902488, 3902534, 3902929, 3903431, 3902541, 3901887, 3901748, 3902317, 3902507, 3902482, 3902018.

James Kennedy

WVDEP OOG

14 attachments

 **4703902471.pdf**
912K **4703903430.pdf**
817K **4703902522.pdf**
778K **4703902488.pdf**
779K **4703902534.pdf**
911K **4703902929.pdf**
817K **4703903431.pdf**
809K **4703902541.pdf**
776K **4703901887.pdf**
850K **4703901748.pdf**
848K **4703902317.pdf**
773K **4703902507.pdf**
807K **4703902482.pdf**
805K **4703902018.pdf**
628K

10/14/2022