

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, September 2, 2025
WELL WORK PLUGGING PERMIT
Vertical Plugging

GREYLOCK CONVENTIONAL, LLC 500 CORPORATE LANDING

CHARLESTON, WV 25311

Re:

Permit approval for 157 47-039-03530-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 157

Farm Name: WEIR 91

U.S. WELL NUMBER: 47-039-03530-00-00

Vertical Plugging Date Issued: 9/2/2025

# **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

## **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date August 1	, 20 <b>25</b>
2)Operator's	
Well No. 47-039-0	3530
3) API Well No.	47 - 039 - 03530

09/05/2025

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas x/ Liquid  (If "Gas, Production x or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow×
5)	Location: Elevation 920 District Big Sandy	Watershed
6)	Well Operator Address Address Greylock Conventional, LLC. 500 Corporate Landing Charleston, WV 25311	7) Designated Agent Joe Farris  Address 500 Corporate Landing  Charleston, WV 25311
8)	Oil and Gas Inspector to be notified  Name Terry Urban  Address P.O. Box 1207  Clendenin, WV 25045	9) Plugging Contractor  Name R & R Well Services  Address 42 Lynch Ridge Road  Walton, WV 25286
10)	Work Order: The work order for the man	RECEIVED Office of Oil and Gas AUG 20 2025  WV Dapartment of Environmental Protection
worl	c can commence.	il and gas inspector 24 hours before permitted
Worl	c order approved by inspector	) lhh Date 8-1825



500 Corporate Landing Charleston WV 25311

Office of Oil and Gas

AUG 20 2025

Environmental Protects

#### Weir 91 P&A Procedure:

		Casing Details		
OD (in)	Weight & Grade	Depth (ft)	Hole Size	Cement (ft <sup>3</sup> )
6-5/8"	NA	1590	NA	NA

Plug Table						
Plug# To Cover Top Bottom Pl						
1	Producing Zone	1770	1996	226		
2	6-5/8 Casing Shoe	1640	1740	100		
3	Casing cut (if necessary)	?	?	100		
4	Elevation	1082	1182	100		
5	Surface	Surface	100	100		

- 1. Notify the inspector at least 24 hours prior to conducting abandonment operations.
- 2. Blow down well
- 3. POOH with Tubing, RIH and confirm TD and fill depth.
- 4. Prep for cement. NOTIFY INSPECTOR OF TAG DEPTH.
- 5. Lead 6% with gel spacer on all cement plugs.
  - a. Note: Class A or Class L can be used for cement plugs.
- Plug 1: Set cement plug from <u>1996' (or Approved Tag Depth)-1770'</u> to cover producing zone (1820'-1996').
- 7. Plug 2: Set 100' cement plug from 1740'-1640' just below 6-5/8" casing shoe.
- 8. Attempt to POOH 6-5/8" casing. If hung, free point.
- 9. Plug 3: If necessary, set 100' cement plug across casing cut (50' inside, 50' on top)
- 10. Plug 4: Set 100' cement plug from 1182' 1082' to cover elevation (1132').
  - a. If pipe is cut above elevation, perf as needed for inside outside plug.
- 11. Plug 5: Set 100' cement plug from 100'-Surface'.
  - a. NOTE: Confirm ZERO annular gas migration before pumping surface plug.
- 12. Set monument 30" above ground with Well Name, API and plug date.

  Operator to Cosel with Cement pll 00% formathers

  (Notate Salt, Elevation, Coals, Freshwarm partiality)

  Augus Mh

		Greylock Energy
		WEIR #91
GREYLOCK		API #:47-039-03530
ENERGY		Casing and Cementing Details
		Kanawha Co., WV
Casing Size	Hole	e Size Detailed Description
		Plug 5: 100' Plug from 100'-surface  Office of Oil and Gas  AUG 20 2025  Environmental Protection
		Plug 4: 100' Plug from 1182'-1082' to cover elevation (1132')
		Plug 3: (If necessary) 100' Plug to cover casing cut.
		Plug 2: 100' Plug from 1740'-1640' just below 6-5/8" casing shoe (1590')
6-5/8" TD: 1590'		Plug 1: 456' Plug from 1996' or Approved Tag Depth-1540' to cover open hole  Legend
Open Hole TD: 1996'		-Exisiting Cement
()		-Planned Plugging Cement



# STATE OF WEST VIRGINIA . DEPARTMENT OF MINES

## Oil and Gas Division

WELL RECORD

Rotary\_

Oil

Quadrangle _CLEN(15')			11	Recycling_	
Permit No		34.			i Storage
				Disposal	(Kind)
DRILLED PRIOR TO 1929 !		=:=::::::::::::::::::::::::::::::::::::	<del></del>		
Company Ray Resouces, Div. of F.I		Cusing and	Used in	Left	Coment fill up
Address Charleston W. Va 2530		Tubing	Drilling	in Well	Cu. ft. (Sks.)
Fin. Ealling Rock Property A			<del> </del>	ļ	M .
Location (waters) Falling Rock Ck.	020'	Size			
Wall No. 4/ El		20-16			-
District Big Sandy County Kana		Cond.	-	ļ	2)
The surface of tract is owned in fee by	· · · · ·	15-10"	<del> </del>	<del> </del>	
Ray Resources, Div. of F.D.O.C.		9.5/8	<del></del>	<del>                                     </del>	*
Address Charleston, W. Va. 2530		8 5/8 A 7.57 "	1000	1.50.	
Mineral rights are owned by Ray Resource		6 5/8"	1590	1590	8
of E.D.O. O. diress CHARLESTON ,W. L		5 1/2 4 1/2		<del> </del>	
Drilling Commenced PRIOR TO 1929			<del></del>	<del></del>	
Drilling Completed " " "		3	<del> </del>	<del> </del>	
Initial open flow cu. ft		Liners Used	<del> </del>	<b></b>	2.
Final production cu. ft. per day _		Fillers Case			
Well openhrs. before test_	RP.		-	<del></del>	
Well treatment details:		Attach copy of a	cementing reco	ord.	
Fresh waterFe	et	Salt V	Inches	s	Feet
Coal was encountered atFe	et	Salt V	Inches	s	Feet
Coal was encountered atFe	et	Salt V	Inches	s	Feet
Coal was encountered atFe Fresh waterFe Producing Sand Weir	eet	Salt V Deptl	Inches	s	Feet
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt \ Depth  Bottom Feet	Inches	s	Feet
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt V Depth Bottom Feet	Inches	s	Feet
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt V Depth Bottom Feet	Inches	s	Feet* Remarks
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt V Depth Bottom Feet	Inches	s	Feet* Remarks
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt V Depth Bottom Feet	Inches	s	* Remarks  Offlice of Oil and
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt V Depth Bottom Feet	Inches	s	* Remarks  Offlice of Oil and
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt V Depth Bottom Feet	Inches	s	Feet * Remarks  Office of Oil and AUG 20 20
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt V Depth Bottom Feet	Inches	Water	Remarks  Offlice of Oil and  AUG 20 20
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt V Depth Bottom Feet	Inches	Water	Remarks  Offlice of Oil and  AUG 20 20
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt V Depth Bottom Feet	Inches	Water	Feet * Remarks  Office of Oil and AUG 20 20
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt V Depth Bottom Feet	Inches	Water	Remarks  Offlice of Oil and  AUG 20 20
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt \ Depth  Bottom Feet	Inches	Water	Remarks  Offlice of Oil and  AUG 20 20
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt \ Depth  Bottom Feet	Inches	Water	Remarks  Offlice of Oil and  AUG 20 20
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt \ Depth  Bottom Feet	Inches	Water	Remarks  Offlice of Oil and  AUG 20 20
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt \ Depth  Bottom Feet	Inches	Water	Remarks  Offlice of Oil and  AUG 20 20
Coal was encountered atFe Fresh waterFe Producing SandWeir  Formation Color Hard or Soft	Top Feet	Salt \ Depth  Bottom Feet	Inches	Water	Remarks  Offlice of Oil and  AUG 20 20
Coal was encountered atFe Fresh waterFe Producing SandWeir  Formation Color Hard or Soft	Top Feet	Salt \ Depth  Bottom Feet	Inches	Water	Remarks  Offlice of Oil and  AUG 20 20
Coal was encountered atFersh waterFeroducing SandWeir  Formation Color Hard or Soft	Top Feet	Salt \ Depth  Bottom Feet	Inches	Water	Remarks  Offlice of Oil and  AUG 20 20

# API 47-039-3530

NO. 91-	Well Completed - Elevation -	10/21/21 1132'	X. [	
) Voi	Big Lime Sand Red Rock Slate and Sand Weir Slate	1580 1721 1731 1770 1800 1965	1721 Gas 1731 1770 Oil - 1800 1965 7" C	1882'-1889'
	Total Depth	1996'		es established and the second


(Tu)

Office of Oil and Gas

AUG 20 2025

WV Department of Environmental Protection

563 5M-8-24	Lease No.73235 Map 174W 1	Mi.S.o	Acres 27 f_Lake	,227	Garm Name	<u> </u>	reem of
	N. S. 104		w. 75	Loc	ation Made		Purchased
	Civil District Loga	n		100	Completed	19, 1923	Date Purc
75	County Logs				• AT-2000000000000000000000000000000000000	. 9, 1924 15, 1 <b>9</b> 24	Sold To
	State West Virg	inia		Dr'g	Completed May Contractor S.P.D	150	Date Sold Date Abar
	OIE RIGHTS OWNED BY		<del></del>		Contractor	וו	
			RMATION	Steel Line		Size   Botto	CASING
	Kind	Тор	Bottom	Massurement	Tests		om Casing Put in (Tally I
· ·	Sand & Grv. Lime & Slt. Coal Lime "ater H.Full	14 60 65	14 60 65 97 68	d		10 84 65 5 3/16	309   1327   1752   1968
*	Slate Coal Blossom	97 101	102			2" WE 18	97-
	Lime & Sand	102	145				PACKERS
	Sand	145	185			Kind	Sia
*	Lime & Slt.	185 235	235 250			1 65 Stee	Casing S
	Lime	250	305 302				
	10" Casing Lime & Slt.	305	302		Cemented		
	Lime	345	390				TORPED
	Lime & Slt.	390	465			Date	No. Qts. Size Sh
	Sand Lime	465 530	530 570			1/25-36	1380 Bla
· · · · · · · · · · · · · · · · · · ·	Sand (Grampus)	The second secon	778			7/12/20	in the
*	Lime Salt Sand	778 870	870 1015			- 1	had a a
•	Gas	070	886	886	22/10 W.3" (	- Ones	Men L
_	Lime & Slt.	1015	1085		drowned out		
	2nd Sla. Snd. Lime	1085	1187		3	•-	1
	Red Rock	1223	1229			,	
1 <b>4</b> ) 51 <i>8</i> 1	Lime Red Rock	1229	1250		•		DRILLIN
	Lime	1250 1262	1262 1278			Commenced	Completed
. /_	Red Rock	1278	1310	is .	RECEIVED Office of Oil and Gas		14
	Lime 84 Casing	1310	1315 1313	1313	•		ABANDONY
$(\mathcal{M})$	Red Rock	1315	1340	1010	AUG 20 2025	Filled With	ABANDONM
	Lime Slate & Shl.	1340 1360	1360		WV Department of Invironmental Protection		V99.60 To
	Red Rock	1455	1455 1474			BENEAUS	art. bry.
	Lime Red Rock	1474	1545			TARING	PULLED.
_	Lime	1550	1550 1560				du EINE.
•	Slate	1560	1572			. (4 ' 1	
	Initial Prod. Sand	L: F + U ★ At	PCompletion	★ 30Days A	iter *	15e	rea
	011	31				ADDOUGS	
	Gas 12/10 16 H- 59	Z. 3"	Openi	ng HI	000 MeF.	APPROVED 09/05/2	Cations
×2	e Oil in Berrels.						



WW-4A Revised 6-07

1)	Date:	June 1, 2025	
2)	Operator's	Well Number	
7-0	39-03530		

3) API Well No.: 47 -

039

03530

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE 0F APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ow	vner(s) to be served:	5)	(a) Coal Operato	r	
(a) Name	Heartwood Forest Land F	Fund VII	Name		
Address	8809 Lenox Pointe Drive	, Unit B	Address		
	Charlotte, NC 28273				
(b) Name			(b) Coal Ov	vner(s) with Declaration	n
Address			Name	Jim C. Hamer Company	
			Address	P.O. Box 418	RECEIVED
				Kenova, WV 25530	Office of Oil and Gas
(c) Name			Name		AUC OO
Address			Address		AUG 20 2025
					WV Department of
6) Inspector	Terry Urban		(c) Coal Le	ssee with Declaration	Environmental Protection
Address	P.O. Box 1207		Name	en e	and the second of
-1441000	Clendenin, WV 25045		Address		
Telephone	(304) 549-5915				
receptions					
accompan Protection the Applic	ying documents for a permit, with respect to the well at t	to plug and abandon a the location described en mailed by registere	a well with the Chief of the on the attached Applicated or certified mail or de-	he Office of Oil and Gas, West V ion and depicted on the attached	filed this Notice and Application and irginia Department of Environmenta Form WW-6. Copies of this Notice named above (or by publication in
		Well Operato By: Its: Address	Greylock Convention Gavin M. Reed Asset Development M 500 Corporate Landii Charleston, WV 253	Aanager	
		Telephone	(304) 925-6100		
Subscribed and My Commission Oil and Gas Priv	7	is 13th melets	day of Augu	Notary Public	OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC Mellssa A. Knuckles
on and das i fiv	acj monec			Greylock En	ergy LLC. 500 Corporate Landing Charleston W 25311 My Commission Expires July 20, 2030

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="deprivacyoffier@wv.gov">deprivacyoffier@wv.gov</a>.





TATILITY CONTRACTOR

PECEIVED
Office of Oil and Gas
AUG 20 2025
WV Department of
Environmental Protection

Heathrood Forest Land Fund VIII 8809 Lenox Painte Deine, With B 28273

FLOCK

500 Corporate Landing

G Y Charleston, WV 25311

WV Department of Environmental Protection

AUG 20 2025

Office of Oil and Gas

COMPLETE THIS SECTION ON DELIVERY  A. Signature  A. Signature  Addressee	B. Received by (Printed Name)  C. Date of Delivery D. Is delivery address different from item 1?  Yes  If YES, enter delivery address below:		Priority Mail Express®   Priority Mail Express®   Registered Mail**   Registered Mail**   Restricted Delivery   Delivery   Signature Confirmation**   Signature Confirmation**   Priority   Descripted Confirmation**   Priority   Descripted Confirmation**   Priority   Priorit	elivery	Domestic Return Receipt
SENDER: COMPLETE THIS SECTION  Complete items 1, 2, and 3.  Print vour name and address on the reverse		STESE DO, ALLE UNITE Cherotte, NC 28273	.,	7) TO Z Z Y LO DO LO LO LO Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	2811 Liv 2020 DSN 7530-02-000-9053






WW Department of Environmental Protection

AUG 20 2025

Office of Oil and Gas



- III III CE I SINGILE CO



□ Priority Mail Express®
□ Registered Mail\*\*
□ Registered Mail\*\*
□ Belivery
□ Signature Confirmation\*\*
□ Signature Confirmation
Restricted Delivery ☐ Agent ☐ Addressee Domestic Return Receipt C. Date of Delivery 8 & 0 0 COMPLETE THIS SECTION ON DELIVERY D. Is delivery address different from item 1? If YES, enter delivery address below: 3. Service Type
Default Signature
Certified Mail®
Certified Mail® B. Received by (Printed Name) 근 되고 Linsured Mail Restricted Delivery I (over \$500) A. Signature Attach this card to the back of the mailpiece, or on the front if space permits. PS Form 3811, July 2020 PSN 7530-02-000-9053 Print your name and address on the reverse 7752 SULO 0002 1377 9590 9402 9129 4225 6237 73 SENDER: COMPLETE THIS SECTION so that we can return the card to you. LADIA WITH PO BOX 48 Hamer Hamer Complete items 1, 2, and 3. 2. Articla Nimhar Transfer form 1. Article Addressed to: 25

WV Department of Environmental Protection

2005 0 8 DUA

Office of Oil and Gas

Plugging Permit

### PLUGGING PERMIT CHECKLIST

MUST HAVE VALID BOND IN OPERATOR'S NAME	Γ
TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED	ſ
WELL RECORDS/COMPLETION REPORT	ſ
RECENT MYLAR PLAT OR WW-7	
WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	Γ
WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application	Γ
WW-9 PAGE 1 (NOTARIZED)	[
BY REGISTERED OR CERTIFIED MAIL	Γ
COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS OF PROOF THAT APPLICATION WAS SENT	J
MAIL WAIL	Г
SURFACE OWNER WAIVER OF PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED	]
Ap-WW	Γ
WW-4B signed by inspector	Γ
WW-4B Environments! Protection	<u></u>
\$202 <b>0 &amp; 0</b> 005	

Office of Oil and Gas

CHECK ŁOB \$700 IŁ bIL IZ NZED

API Number	47 -	039	_ 03530	
Operator's W	ell No	).		

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Greylock Conventional, LLC.	OP Code 494521205	
	Quadrangle Blue Creek	
Do you anticipate using more than 5,000 bbls of water to comple	ete the proposed well work? Yes No	
Will a pit be used? Yes No V		
If so, please describe anticipated pit waste.		
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:		
Land Application (if selected provide		
	Number)	
Off Site Disposal (Supply form WW	/-9 for disposal location)	
	3 33 33 F 133 33 33 33 33 3	
Will closed loop system be used? If so, describe: Yes, tank retu	urns at tanks	ē
Drilling medium anticipated for this well (vertical and horizontal	al)? Air, freshwater, oil based, etc. Freshwater Office of Oil and G	Gao
-If oil based, what type? Synthetic, petroleum, etcn/a	AUG 20 202	25
Additives to be used in drilling medium?	WyDana	(5
Drill cuttings disposal method? Leave in pit, landfill, removed	offsite, etc. No cuttngs expected  Environmental Protection	f tion
-If left in pit and plan to solidify what medium will be	used? (cement, lime, sawdust)	11011
-Landfill or offsite name/permit number?		
	ias of any load of drill cuttings or associated waste rejected at any within 24 hours of rejection and the permittee shall also disclose	
on April 1, 2016, by the Office of Oil and Cas of the West Virg provisions of the permit are enforceable by law. Violations of a or regulation can lead to enforcement action.  I certify under penalty of law that I have personally application form and all attachments thereto and that, based on the information, I believe that the information is true, accurate submitting false information, including the possibility of fine or Company Official Signature  Company Official Title Asset Development Manager	conditions of the GENERAL WATER POLLUTION PERMIT issignia Department of Environmental Protection. I understand that any term or condition of the general permit and/or other applicable examined and am familiar with the information submitted on my inquiry of those individuals immediately responsible for obtaine, and complete. I am aware that there are significant penalties imprisonment.	at the e law n this sining
My commission expires day of the subscribed and sworn before me this day of the subscribed and subscribed	OFFICIAL SEAL STATE OF BEST VIRIGINIA NOTATY PUBLIC	1
	Melissa A. Wisyles 5 20 Melissa A. Wisyles 5 20 Greylock Energy LLC. 500 Corporate Landing Charleston W 25317 My Commission Expires July 20, 2030	125

Field Reviewed?

Form WW-9	Operator's Well No
Proposed Revegetation Treatment: Acres Distur	bed 1.0 Preveg etation pH
Lime 3 Tons/acre or t	o correct to pH 6.5
Fertilizer type 10-10-20	
Fertilizer amount 500	lbs/acre
Mulch Hay Bales	Tons/acre
	Seed Mixtures
Temporary	Permanent
Seed Type lbs/acre	Seed Type lbs/acre
ORCHARD GRASS 12	ORCHARD GRASS 12
LANDINO CLOVER 3	LANDINO CLOVER 3
TIMOTHY 10	TIMOTHY 10
Attach: Maps(s) of road, location, pit and proposed area provided). If water from the pit will be land app (L, W), and area in acres, of the land application Photocopied section of involved 7.5' topographi	
1. 1/./	
Plan Approved by: Amy Mil	
1. 1/./	
Plan Approved by: Amy Mil	
Plan Approved by: Amy Mil	Office of Oil and Gas  AUG 20 2025
Plan Approved by: Amy Mil	
Plan Approved by: Amy Mil	Office of Oil and Gas  AUG 20 2025

Date: 8.18.25

09/05/2025

WW-9- GPP Rev. 5/16

	Page	of	
API Number 47 -	039-	 03530	
Operator's Well N	o.		

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

GROUNDWATER PROTECTION PLAN

Operator Name: Greylock Conventional, LLC. Watershed (HUC 10):	Quad: Blue Creek
Farm Name:	
<ol> <li>List the procedures used for the treatment and d groundwater.</li> </ol>	ischarge of fluids. Include a list of all operations that could contaminate the
N/A - no discharge of fluids	
Describe procedures and equipment used to prote	ect groundwater quality from the list of potential contaminant sources above
Closed loop system, all returns will be	taken in tanks and hauled to WVDEP approved facility.
<ol> <li>List the closest water body, distance to closest discharge area.</li> </ol>	t water body, and distance from closest Well Head Protection Area to the
N/A	200
	RECEIVED Office of Oil and Cas
	AUG 20 proj
	MALE
	WV Department of Environmental Protection
4. Summarize all activities at your facility that are	WV Department of Environmental Protection
	WV Department of Environmental Protection
4. Summarize all activities at your facility that are a	WV Department of Environmental Protection
	WV Department of Environmental Protection
	WV Department of Environmental Protection

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

WW-9- GPP Rev. 5/16	Page of
N/A	
6. Provide a statement that no waste material will be used for o	leicing or fill material on the property.
Greylock will not use any waste material for dei	cing or fill material on property
7. Describe the groundwater protection instruction and training provide direction on how to prevent groundwater contamination.  N/A SEE SECTION 2	
	BEOG.
	AUG 20 20 Environmental Protection
8. Provide provisions and frequency for inspections of all GPP	elements and equipment.
Daily inspections of equipment will be preforme	d

Signature:

Date:



May 28, 2025

WV Department of Environmental Protection 601 57<sup>th</sup> Street Charleston, WV 25304

Re: 2022-13 Variance that allows the use of Class L cement in place of Class A cement for well plugging.

To Whom It May Concern:

Please see the attached order 2022-13 Variance that allows the use of Class L cement in place of Class A cement for well plugging. Greylock Conventional, LLC. wishes to use the Class L option at the time of plugging.

If you have questions, or need any additional information, please feel free to contact me.

Thank you,

Melissa Knuckles

Permitting & Bond Specialist

Greylock Energy, LLC.

mknuckles@greylockenergy.com

(304) 925-6100 Office

(304) 389-1441 Cell

Office of Oil and Gas

AUG 20 2025

Environmental Protection



#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

### BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM	)		
LEGISLATIVE RULE 35CSR4	)	ORDER NO.	2022-13
SECTION 14.1. AND LEGISLATIVE RULE	)		
35CSR8 SECTION 20.1,	)		Of RECE.
RELATING TO THE CEMENTING	)		Of Oil VED
OF OIL AND GAS WELLS	)		Office Of Oil and Cas
			AUG 20 2025 Environment of Projection

#### REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

#### FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- 2. Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

#### CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

#### ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

Office of Oil and Gas


AUG 20 2025


WV Department of
Environmental Protection

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of (M) and Gas







# West Virginia Department of Environmental Protection Office of Oil and Gas

## WELL LOCATION FORM: GPS

47 000 00500		1
<sub>API:</sub> 47-039-03530	well no.: 9	<u></u>
FARM NAME: Weir		
RESPONSIBLE PARTY NAME:	Greylock Conventio	nal, LLC
COUNTY: Kanawha	Big	Sandy
QUADRANGLE: Blue Creel	Κ	
SURFACE OWNER: Heart	Wood Forest L	and Fund III
ROYALTY OWNER:	C. Hamer Com	pany
UTM GPS NORTHING: 42553	62.144	
UTM GPS EASTING: 466296		<sub>ON:</sub> 932 ft
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gathe following requirements:  1. Datum: NAD 1983, Zone: height above mean sea lev 2. Accuracy to Datum – 3.05 3. Data Collection Method: Survey grade GPS: Post Pro	a plugging permit or assigned As will not accept GPS coordinate 17 North, Coordinate Units: me rel (MSL) – meters.	PI number on the s that do not meet
Real-Ti	me Differential	WV Department of Environmental Protection
Mapping Grade GPS X: Post	Processed Differential	or Clection
Real	-Time Differential X	
4. Letter size copy of the to I the undersigned, hereby certify this belief and shows all the information represcribed by the Office of Oil and G	required by law and the regulation	knowledge and
6:M4	Asset Dev. Manager	8/15/25
Signature	Title	Date

W	W	-4B
---	---	-----

API No.	47-039-03530	
Farm Name		
Well No.	Weir 91	

## INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

Office of Oil and Gas

AUG 20 2025

WV Department of Environmental Protection

#### WAIVER

has examined this proposed plugging	/ owner / lessee / of the coal under this well loca ork order. The undersigned has no objection to the work proposed to	o be
done at this location, provided, the vivil Virginia Code and the governing regulation	ll operator has complied with all applicable requirements of the V	vest
virginia code and the governing regu		
Date:		
	By:	
	Its	

#### SURFACE OWNER WAIVER

Operator's Well Number

4	<b>7</b> _0	139	-03	530
_	r-u	יטטי		-

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

### NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

mments.

The Chief has the power to deny or condition a well work permit based on comments on the following Gas grounds: AUG 20 2025

- The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- The proposed well work fails to protect fresh water sources or supplies;

  Environment of Protection of the applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

#### **VOLUNTARY STATEMENT OF NO OBJECTION**

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no o	objection to the	e planned wor.	k described in	these materials,	and I have no
objection to a permit being issued on tho	se materials.				
FOR EXECUTION BY A NATURAL PERSON			FOR EXECUTION BY A CORPORATION,		
ETC.					·
		Name			
Signature		By			
		Its			Date
		•	<u> </u>	<u> </u>	

Signature

WV Department of



#### Kennedy, James P < james.p.kennedy@wv.gov>

## plugging permits issued 4703903530 4703903376 4703903371

1 message

**Kennedy, James P** <james.p.kennedy@wv.gov> Tue, Sep 2, 2025 at 10:17 AM To: Terry W Urban <terry.w.urban@wv.gov>, "Knuckles, Melissa" <mknuckles@greylockenergy.com>, sallierobinson@kanawha.us

To whom it may concern, plugging permits have been issued for 4703903530 4703903376 4703903371.

--

## James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas


601 57<sup>th</sup> Street, SE

Charleston, WV 25304

304-926-0499 ext. 45025

#### james.p.kennedy@wv.gov

#### 3 attachments





4703903530.pdf 3586K