



Abd

SEP 14 1937

3.12 W  
5.34 S

Company	Virginian Gasoline & Oil Co.
Address	Charleston, W.Va.
Farm	L.W. Seabolt et al
Tract	Acres 48 Lease No. 12114
Well (Farm) No.	3 Serial No. 1084
Elevation (Spirit Level)	1036.3
Quadrangle	Walton (50)
County	Kanawha District Big Sandy
Engineer	G.A. Cunningham
Engineer's Registration No.	659
File No.	74-69 Drawing No.
Date	Sept. 7, 1937 Scale 1"=400'

STATE OF WEST VIRGINIA  
Department of Mines  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
File No. KAN-225A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
— Denotes one inch spaces on border line of original tracing.

225A

Big Sandy District, Kanawha County, W. Va.

By Virginian Gasline &amp; Oil Co., Charleston, W. Va.

On 48 acres, on Doctors Creek.

Elevation, 1036.3' L.

Surface and minerals owned by L. W. Seabolt et al., Clendenin, W. Va.

Drilling commenced Nov. 3, 1919; completed, Jan. 13, 1920.

Shot Jan. 29, 1920, at 2188'.

Oil, 3 bbls., 1st 24 hrs.

Salt water at 1325'.

10" casing, 28'; 8 $\frac{1}{2}$ " casing, 960' (369' left in); 6 $\frac{3}{8}$ " casing, 1852'; 5 $\frac{1}{2}$ " casing, 2028'.B. H. packer, 6 $\frac{3}{8}$ " x 5 $\frac{1}{2}$ ", set on 5 $\frac{1}{2}$ " casing.

Oil well. Abandonment reported to Dept. of Mines Sept. 7, 1937.

Record to RCT from Mrs. Griffith 11-28-37.

	Top.	Bottom.
Red rock	0	90
Sand	90	105
Red rock	105	215
Sand	215	240
Slate	240	320
Sand	320	345
Slate	345	370
Sand	370	400
Slate	400	415
Sand	415	560
Slate shells	560	625
Sand	625	710
Slate	710	755
Sand	755	805
Slate shells	805	875
Sand	875	930
Slate	930	985
Sand	985	1040
Slate	1040	1120
Sand	1120	1190
Slate	1190	1205
Sand	1205	1215
Slate	1215	1260
Sand	1260	1295
Salt Sand (water, 1325')	1300	1385?
2nd Salt Sand	1387?	1572
3rd Salt Sand	1607	1687
Maxton Sand	1690	1792
Little Lime	1792	1819
Slate	1819	1821
Shell	1821	1825
Slate	1825	1829
Shell	1829	1838
Slate	1838	1840
Big Lime	1840	1971
Big Injun Sand (gas, 1971-1976')	1971	2001
Slate	2001	2024
Lime	2024	2115
Slate shells	2115	2185
Sand (oil, 2188')	2187	
Total depth		2207

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION



WELL RECORD

Permit No. KAN-225-A

Oil or Gas Well Oil  
(Kind)

Company Virginian Gasoline & Oil Company  
 Address Charleston, West Virginia  
 Farm L. W. Seabolt Acres 48  
 Location (waters) Doctors Creek  
 Well No. 1084 Elev. 1036.3  
 District Big Sandy County Kanawha  
 The surface of tract is owned in fee by L.W.Seabolt, etal  
 Address Glendenin, W. Va.  
 Mineral rights are owned by Same  
 Address \_\_\_\_\_  
 Drilling commenced Nov. 3, 1919  
 Drilling completed Jan. 13, 1920  
 Date shot Jan. 29, 1920 Depth of shot 2188  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil 3 bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water 1325 feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			B. H.
10	28	28	Size of
8 1/4	960	369	6-5/8 x 5-3/16
6 5/8	1852	1852	Depth set
5 3/16	2028	2028	on 5-3/16" Casing
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. FT. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Red Rock			0	90			
Sand			90	105			
Red Rock			105	215			
Sand			215	240			
Slate			240	320			
Sand			320	345			
Slate			345	370			
Sand			370	400			
Slate			400	415			
Sand			415	550			
Slate Shells			550	625			
Sand			625	710			
Slate			710	755			
Sand			755	805			
Slate Shells			805	875			
Sand			875	930			
Slate			930	985			
Sand			985	1040			
Slate			1040	1120			
Sand			1120	1190			
Slate			1190	1205			
Sand			1205	1215			
Slate			1215	1260			
Sand			1260	1295			
Salt Sand			1300	1385	Water	1325	
2nd Salt Sand			1387	1572			
3rd Salt Sand			1607	1687			
Maxon			1690	1792			
Little Lime			1792	1819			
Slate			1819	1821			
Shell			1821	1825			
Slate			1825	1829			
Shell			1829	1838			
Slate			1838	1840			
Big Lime			1840	1971			
Big Injun			1971	2001	Gas	1971-1976	
Slate			2001	2024			
Lime			2024	2115			
Slate Shells			2115	2185			
Sand			2187				
Oil			2188				
Total Depth			2207				

NOV 28 1937

