



Company The Pure Oil Co.
 Address Newark, Ohio
 Farm C. & O. R-O-W
 Tract _____ Acres 10 Lease No. 5031
 Well (Farm) No. 6 Serial No. _____
 Elevation (Spirit Level) 699.7
 Quadrangle Montgomery
 County Kanawha District Cabin Creek
 Engineer J. B. Hunter
 Engineer's Registration No. Ohio-2912
 File No. _____ Drawing No. _____
 Date July 22, 1940 Scale 1" = 200'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-300A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

842

WELL RECORD

Ab
Permit No. 300-A

Oil or Gas Well Oil
(Kind)

Company The Pure Oil Company
Address Box 551 - Newark, Ohio
Farm C/ & O. R/W Acres
Location (waters) Cabin Creek
Well No. 6 Elev. 699.7
District Cabin Creek County Kanawha
The surface of tract is owned in fee by C. & O. Railroad
Address Richmond, Virginia
Mineral rights are owned by C. & O. Railroad
Address Richmond, Virginia
Drilling commenced (No record)
Drilling completed May 21, 1918
Date shot May 23, 1918 Depth of shot 2357-2377
Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	375	375	Size of
8 1/4			
6 5/8	1710	1710	Depth set
5 3/16		1040 on	packer to shut off water.
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. FT. Date
COAL WAS ENCOUNTERED AT 123 FEET 60 INCHES
418 FEET 72 INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Sand	Brown		0	20			
Gravel	Dark		20	50			
Lime	Black		50	69			
Slate	Black		69	123			
Coal	Black		123	128			
Sand	White		128	209			
Slate	Black		209	259			
Sand	Gray		259	274			
Slate	Black		274	309			
Lime	Black		309	418			
Coal	Black		418	424			
Slate	Black		424	434			
Sand	Gray		434	549			
Slate	Black		549	569			
GRAMPUS	Yellow		569	689			
Slate	Black		689	744			
SALT SAND	White		744	1039			
Slate	White		1039	1059			
Sand	Gray		1059	1089			
Slate	Gray		1089	1109			
Sand & Lime	Gray		1109	1139			
Slate & Shls	White		1139	1184			
Lime	Black		1184	1204			
Red Rock	Red		1204	1209			
Shells	White		1209	1499			
MAXON	Gray		1499	1584			
LITTLE LIME	Black		1584	1624			
Slate	Black		1624	1669			
BIG LIME	White		1669	1894			
BIG INJUN	Red		1894	1929			
Slate	Black		1929	1944			
Shells & Slate	Black		1944	2269			
Lime	Black		2269	2299			
Slate & Shls	Black		2299	2319			
Slate	Brown		2319	2339			
BEREA	White		2339	2380			
Lime	Black		2380	2382			

Total Depth 2382'



