



New Location  
 Drill Deeper  
 Abandonment  X

FEB 24 1941

2,37 W  
 4,17 R

Company	VIRGINIAN GASOLINE & OIL CO.		
Address	CHARLESTON, W.VA.		
Farm	JAMES JARRETT		
Tract	Acres 20	Lease No.	770
Well (Farm) No.	1	Serial No.	2823
Elevation (Spirit Level)	703.0		
Quadrangle	CLEDENIN		
County	KANAWHA	District	ELK
Engineer			
Engineer's Registration No.	659		
File No.	70-65	Drawing No.	
Date	FEB. 11, 1941	Scale	1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-310A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

JAMES JARRETT No. 1 (2823) - VIRGINIAN GASOLINE & OIL CO - KAN-310-A

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

878

WELL RECORD

Permit No. 30-A

Oil or Gas Well Oil  
(KIND)

Company VIRGINIAN GASOLINE & OIL COMPANY  
Address Charleston, West Virginia  
Farm James Jarrett Acres 20  
Location (waters) Inhoff Branch of Elk River  
Well No. 2823 Elev. 703.0  
District Elk County Kanawha  
The surface of tract is owned in fee by Barbara Schwartz et al

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16.			Kind of Packer
13.			
10.	60	60	Size of
8 1/4.	440	440	
6 5/8.	1491	1491	Depth set
5 3/16.			
3.			Perf. top
2.			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Address Charleston, W. Va.  
Mineral rights are owned by same  
Address

Drilling commenced January 18, 1912  
Drilling completed February 28, 1912  
Date shot \_\_\_\_\_ Depth of shot 1726

Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch

Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.

Oil 15 bbls., 1st 24 hrs.

Fresh water 80 feet

Salt water 875 & 900 feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date

COAL WAS ENCOUNTERED AT 1136 FEET 36 INCHES

FEET INCHES FEET INCHES

FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			433	572	Water	80'	
Sand			572	600			
Black Shale			600	625			
Sand			625	685			
Slate & Shells			685	790			
Salt Sand			790	1136	Water	900'	3 bailers water a screw at 875' Hole full
Coal			1136	1139			
Lime			1139	1145			
Sand			1145	1250			
Black Lime			1250	1315			
Red Rock			1315	1320			
Slate & Lime			1320	1435			
Little Lime			1435	1465			
Pencil Cave			1465	1481			
Big Lime			1481	1644			
Sand			1644	1660			
Red Rock			1660	1675			
Slate			1675	1686			
Shells & Slate			1686	1720			
Black Sand			1720	1726			
Oil Sand			1726	1738			
Total Depth				1740			



