



New Location
 Drill Deeper
 Abandonment

MAR 10 1941

2,92 W
418

Company	VIRGINIAN GASOLINE & OIL CO.		
Address	CHARLESTON, W.VA.		
Farm	G. W. WHITE		
Tract	Acres	80	Lease No. 752
Well (Farm) No.	5	Serial No.	2859
Elevation (Spirit Level)	1006		
Quadrangle	CLENDENIN		
County	KANAWHA	District	ELK
Engineer			
Engineer's Registration No.	659		
File No.	70-65	Drawing No.	
Date	FEB. 28, 1941	Scale	1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. **KAN-312A**

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

888

WELL RECORD

Permit No. 324-A

Oil or Gas Well Oil
(KIND)

Company VIRGINIAN GASOLINE & OIL COMPANY
Address Box 1626, Charleston, W. Va.
Farm G. W. White Acres 80
Location (waters) Buffalo Lick Branch
Well No. 2859 Elev. 1006
District Elk County Kanawha
The surface of tract is owned in fee by J. I. White et al
Address Charleston, W. Va.
Mineral rights are owned by Same
Address _____
Drilling commenced March 19, 1912
Drilling completed May 6, 1912
Date shot _____ Depth of shot 2069
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil 1080 bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	<u>700</u>	<u>Pulled</u>	
6 5/8	<u>1825</u>	<u>1825</u>	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 675 FEET 60 INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			16	100			
Red Rock			100	180			
Slate			180	675			
Coal			675	680			
Sand			680	700			
Slate & Shell			700	1100			
Salt Sand			1100	1600			
Slate & Shell			1600	1695			
Red Rock			1695	1750			
Shale			1750	1775			
Little Lime			1775	1790			
Pencil Cave			1790	1800			
Slate & Grey Sand			1800	1820			
Big Lime			1820	1975			
Red Rock			1975	2000			
Slate & Shell			2000	2065			
Squaw			2065	2093			
Total Depth				2093			

