



New Location
 Drill Deeper
 Abandonment To be plugged back to the salt sand for water source well.

AUG 31 1941

Company The Pure Oil Co.
 Address Newark, Ohio
 Farm Williams Coal Co.
 Tract Acres 12000 Lease No. 5012
 Well (Farm) No. 125 Serial No. _____
 Elevation (Spirit Level) 1140
 Quadrangle Montgomery
 County Kanawha District Cabin Creek
 Engineer J. B. Hunter
 Engineer's Registration No. Ohio - 2912
 File No. _____ Drawing No. _____
 Date August 19, 1941 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-331A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

922

WELL RECORD

Permit No. 331-A

Oil or Gas Well (KIND)

Company: The Pure Oil Company
 Address: Box 551 - Newark, Ohio
 Farm: Williams Coal Company Acres 12,000
 Location (waters): Cabin Creek
 Well No. 125 Elev. 1140
 District: Cabin Creek County Kanawha
 The surface of tract is owned in fee by Shonk Land Company
 Address: Charleston, W Va
 Mineral rights are owned by Shonk Land Company
 Address: Charleston, W Va
 Drilling commenced: 9-28-18
 Drilling completed: 12-22-18
 Date shot: 1-29-19 Depth of shot: 2789-2805
 Open Flow /10ths Water in _____ Inch
 /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water 300 feet _____ feet
 Salt water 1120-1350-1680 feet-1990' and 2020 feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	630	630	Size of
8 1/4	1480	-	
6 5/8	2129	2129	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 50 FEET 36 INCHES
 300 FEET 48 INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface	yellow		0	50			
Coal	black		50	53			
Slate	black		53	240			
Sand	white		240	300			
Coal	black		300	304	Water 2 bailers		
Sand	white		304	410			
Slate	black		410	600			
Sand	white		600	850			
Slate	black		850	1010			
Dunkard	white		1010	1130	Water 1 bailer an hour		
Slate	black		1130	1185			
SALT SAND	white		1185	1470	Water 1350		
Lime	gray		1470	1630			
Red Rock			1630	1680	Water filled up 800'		
Slate & Lime	black		1680	1960			
MAXON			1960	2020	Water 1990-2020 1 bailer an hour		
Lime	black		2020	2060			
Slate	black		2060	2070			
Lime	black		2070	2117			
BIG LIME	white		2117	2325			
BIG INJUN	red		2325	2355			
Slate & Lime	black		2355	2755			
Shale	brown		2755	2765			
BEREA SAND	white		2765	2377			

TOTAL DEPTH 2807'



(Over)

