



Coal: K.C. Coleman Hrs.  
 % Mrs Kittie England  
 Elkview, W.Va.  
 Route 1.

Surface: Walter England Hrs.  
 % Mrs Grace Kyger  
 Falling Rock, W.Va.

# 301  
 in Co RPT

- New Location
- Drill Deeper
- Abandonment

OCT 26 1941

Company	<u>South Penn Natural Gas Co.</u>
Address	<u>Parkersburg, W.Va</u>
Farm	<u>K.C. Coleman</u>
Tract	Acres <u>142</u> Lease No. <u>62552</u>
Well (Farm) No.	<u>3</u> Serial No. _____
Elevation (Spirit Level)	<u>1000.15 ground</u>
Quadrangle	<u>Clendenin</u>
County	<u>Kanawha</u> District <u>Big Sandy</u>
Engineer	<u>E.C. Tabler</u>
Engineer's Registration No.	_____
File No.	_____ Drawing No. _____
Date	<u>Sept. 3, 1941</u> Scale <u>1" = 400'</u>

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-341A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

9m

WELL RECORD

Permit No. 341-A

Oil or Gas Well (Kind)

Company: South Penn Natural Gas Company  
 Address: Union Trust Bldg. Parkersburg, W. Va.  
 Farm: K. C. Coleman Acres: 142  
 Location (waters): Jordans Ck of Elk River  
 Well No.: 3 Elev.: 1000.15  
 District: Big Sandy County: Kanawha  
 The surface of tract is owned in fee by Walter England Hrs 0  
 c/o Mrs Grace Kyger, Falling Rock, W. Va.  
 Mineral rights are owned by Rosa A. Estep, et al  
 Frankford, W. Va. Address:  
 Drilling commenced: September 2, 1912  
 Drilling completed: October 20, 1912  
 Date shot: see below Depth of shot: --  
 Open Flow /10ths Water in: ---- Inch  
 /10ths Merc. in: ---- Inch  
 Volume: ---- Cu. Ft.  
 Rock Pressure: ---- lbs. ---- hrs.  
 Oil: 20 bbls., 1st 24 hrs.  
 Fresh water: ---- feet ---- feet  
 Salt water: ---- feet 1265 feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
8 1/4	602		Size of
6 5/8	1798'6"		Depth set
5 3/16	87		
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
Cond.	16		Perf. bottom

CASING CEMENTED: SIZE: No. Ft. Date  
 COAL WAS ENCOUNTERED AT: FEET INCHES  
 FEET INCHES FEET INCHES  
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			200	215			
Lime			375	390			
Sand			437	557			
Coal			566	569			
Sand			585	782			
Lime			782	925			
Sand			925	950			
Sand			1018	1095			
Gas Sand			1142	1168			
Slate			1168	1175			
Lime			1200	1223			
Salt Sand			1223	1630			
Lime			1630	1655	Water	1265	
Red Rock			1655	1660			
Lime			1660	1690			
Maxon			1690	1720			
Red Rock			1720	1722			
Lime			1722	1733			
Slate			1733	1735			
Lime			1735	1750			
Slate			1750	1755			
Lime			1755	1773			
Pencil Slate			1773	1780			
Big Lime			1780	1926			
Big Injun			1926	1977	Gas 1908	1908	
Slate & Shells			1977	2052	Gas	1926	
Squaw Sand			2052	2073			
Total Depth				2075	Oil	2053	
Shot Record:							
		10/22/12	30 qts				
		2/12/14	40 qts				
		6/23/15	60 qts				
		7/12/15	120 qts				
		12/23/26	40 qts				



