



New Location   
 Drill Deeper   
 Abandonment  Partial

APR 20 1942

3.28 W split  
~~3.3 W stream~~  
 2.5 @

Company The Pure Oil Company  
 Address Newark, Ohio  
 Farm Williams Coal Co.  
 Tract \_\_\_\_\_ Acres 12000 Lease No. 5012  
 Well (Farm) No. 2 Serial No. 177  
 Elevation (Spirit Level) 849.60  
 Quadrangle Montgomery  
 County Kanawha District Cabin Creek  
 Engineer J. B. Hunter  
 Engineer's Registration No. Ohio-2912  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date April 11, 1942 Scale 1" = 200'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. Kan-358-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500. latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

358A?

Cabin Creek District, Kanawha County, W. Va.  
By Columbus Royalty Co. (Now Pure Oil Co.)

Letter from Krebs to I.C.W. Dec. 23, 1914.

Portion of Montgomery Quadrangle showing location of well.

They encountered oil at depth of 2498 feet.  
The sand in which the oil was encountered is the fine-grained,  
white sand, and I am enclosing herewith a small piece  
that was thrown up when the well flowed. (Berea Sand).

Elevation, approximately 875'.

Record to be sent in few days as also level by company.



Completed via Inspections  
1357

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Salt Water  
Oil or Gas Well Source Well  
(KIND)

Permit No. 358-A  
Company The Pure Oil Co.,  
Address Rt 551, Newark, O.  
Farm Williams Coal Co., Acres 32,000  
Location (waters) Cabin Creek  
Well No. 2 Elev. 814'  
District Cabin Creek County Kanawha  
The surface of tract is owned in fee by Shank Land Co.,  
c/o D. C. Shank Address Dumas, West Va.  
Mineral rights are owned by Shank Land Co.,  
Address Dumas, West Va.

Drilling commenced 1-23-1915  
Drilling completed 10-27-1915  
Date Shot 10-29-15 From \_\_\_\_\_ To \_\_\_\_\_  
With 30 qts. glycerin  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil 31 bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer <u>Anchor</u>
18" CD	<u>20'</u>	<u>20'</u>	<u>10-3/4"x8-5/8"x16"</u>
10-3/4" CD	<u>304' 6"</u>	<u>304' 6"</u>	Size of _____
8 1/4"	<u>1247'</u>	<u>Pulled</u>	Depth set <u>885'</u>
6 5/8" CD	<u>1208' 9"</u>	<u>1208' 9"</u>	
5 3/16"			
3 <u>1/2</u> "		<u>1202' 7"</u>	Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand & Slate			20	95			
Slate			95	100			
Sand			100	255			
Slate			255	150			
Sand			150	520			
Slate			520	570			
Sand			570	810			
Slate			810	870			
Salt Sand			870	1202 CD			

Well was plugged to 1202' on Permit #KAN 358 issued April 16, 1942.



