



New Location
 Drill Deeper
 Abandonment

MAY - 5 1942

2,288 W
 4,555

Company VIRGINIAN GASOLINE & OIL CO.
 Address CHARLESTON, W. VA.
 Farm J. N. KEETEN
 Tract Acres 28 Lease No. 778
 Well (Farm) No. 1 Serial No. 2840
 Elevation (Spirit Level) 692.0
 Quadrangle CLENDENIN
 County KANAWHA District ELK
 Engineer G. W. Cunningham
 Engineer's Registration No. 659
 File No. 70-65 Drawing No.
 Date APRIL 17, 1942 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-360-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

VIRGINIAN GASOLINE & OIL CO. — KAN-360-A
 J. N. KEETEN NO. 1 (2840) —

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

932

WELL RECORD

Permit No. 360-A

Oil or Gas Well Oil
(KIND)

Company Virginian Gasoline & Oil Company
Address Box 1626, Charleston, W. Va.
Farm J. N. Keeton Acres 28
Location (waters) Imhoff Branch
Well No. 2840 Elev. 692.0
District Elk County Kanawha
The surface of tract is owned in fee by J. N. Keeton, et al
Address Blue Creek, W. Va.
Mineral rights are owned by Same
Address _____
Drilling commenced February 7, 1912
Drilling completed March 14, 1912
Date Shot From 1716 To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil 140 bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water 880 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	50	50	Size of
8 1/4	450	---	
6 5/8	1478	1478	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	12			
Line			12	50			
Slate			50	70			
Sand			70	120			
Slate			120	150			
Sand			150	230			
Line & Slate			230	270			
Sand			270	380			
Slate & Shell			380	450			
Line Shell			450	460			
Slate			460	500			
Sand			500	600			
Slate			600	660			
Sand			660	710			
Slate			710	735			
Salt Sand			735	1240	Gas & Oil	735'	
Sand	<i>slate</i>		1240	1285	Water	880'	Big flow
Slate			1285	1300		920'	Settling Sand
Line Shell			1300	1310			
Slate			1310	1335			
Red Rock			1335	1360			
Slate & Shell			1360	1400			
Line			1400	1410			
Slate & Pencil			1410	1440			
Sand shell			1440	1460			
Slate			1460	1470			
Pencil Cave			1470	1478			
Big Line			1478	1628			
Slate			1628	1640			
Red Rock			1640	1660			
Slate			1660	1700			
Line & Slate			1700	1714			
Oil Sand			1714	1725			
Total Depth				1725			



