



"Abandonment"

OCT 12 1942

2.11 W
1.73 Q

| | |
|-----------------------------|--------------------------------|
| Company | The Pure Oil Co. |
| Address | Newark, Ohio |
| Farm | Williams Coal Co. |
| Tract | Acres 12000 Lease No. 5012 |
| Well (Farm) No. | 92 Serial No. 183 |
| Elevation (Spirit Level) | 697.5 |
| Quadrangle | Montgomery |
| County | Kanawha District Cabin Creek |
| Engineer | J. B. Hunter |
| Engineer's Registration No. | Ohio - 2912 |
| File No. | Drawing No. |
| Date | Sept. 25, 1942 Scale 1" = 200' |

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. KAN-371-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

943

WELL RECORD

Permit No. 371-A

Oil or Gas Well Oil
(KIND)

Company The Pure Oil Company
 Address Box 551 - Newark, Ohio
 Farm Williams Coal Co. Acres 12,000
 Location (waters) Cabin Creek
 Well No. 92 Elev. 697.5
 District Cabin Creek County Kanawha
 The surface of tract is owned in fee by Shonk Land Co.
 Address Charleston, W.Va.
 Mineral rights are owned by Shonk Land Co.
 Address Charleston, W.Va.
 Drilling commenced April 17, 1917
 Drilling completed June 23, 1917
 Date shot June 25, 1917 Depth of shot 2348-2363
 Open Flow /10ths Water in _____ Inch
 /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ 104 bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water 860' feet 1550' feet

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|----------------|
| Size | | | |
| 16 | | | Kind of Packer |
| 13 | 36' | 36' | |
| 10 | 365' | 365' | Size of |
| 8 1/4 | 1065' | - | |
| 6 5/8 | 1682' | 1682' | Depth set |
| 5 3/16 | | | |
| 3 | | | Perf. top |
| 2 | | | Perf. bottom |
| Liners Used | | | Perf. top |
| | | | Perf. bottom |

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 210 FEET 60 INCHES
355 FEET 60 INCHES FEET INCHES
 FEET INCHES FEET INCHES

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|--------------|-------|--------------|--------------|--------|-------------------|-------------|---|
| Conductor | | | 0 | 13 | | | |
| Sand | | | 13 | 100 | | | |
| Slate | | | 100 | 150 | | | |
| Sand | | | 150 | 170 | | | |
| Slate | | | 170 | 210 | | | |
| Coal | | | 210 | 215 | | | |
| Slate | | | 215 | 330 | | | |
| Sand | | | 330 | 340 | | | |
| Slate | | | 340 | 355 | | | |
| Coal | | | 355 | 360 | | | |
| Slate | | | 360 | 380 | | | |
| Lime Shell | | | 380 | 400 | | | |
| Slate | | | 400 | 600 | | | |
| GRAMPUS | | | 600 | 700 | | | |
| Slate | | | 700 | 750 | | | |
| SALT SAND | | | 750 | 1040 | Water | 860' | Hole back full |
| Slate | | | 1040 | 1065 | | | |
| Lime Shells | | | 1065 | 1090 | | | |
| Slate&Shells | | | 1090 | 1170 | | | |
| Red Rock | | | 1170 | 1325 | | | |
| Slate | | | 1325 | 1355 | | | |
| Red Rock | | | 1355 | 1430 | | | |
| Slate | | | 1430 | 1510 | | | |
| MAXON | | | 1510 | 1588 | Water | 1550' | Hole full |
| Slate | | | 1588 | 1590 | | | |
| Little Lime | | | 1590 | 1620 | | | |
| Lime | | | 1620 | 1645 | | | |
| Slate | | | 1645 | 1665 | | | |
| Lime | | | 1665 | 1680 | | | |
| BIG LIME | | | 1680 | 1905 | | | |
| Slate | | | 1905 | 1910 | | | |
| INJUN | | | 1910 | 1940 | | | |
| Slate&Shells | | | 1940 | 2327 | | | |
| BEREA GRIT | | | 2327 | 2366 | Oil | 2345'-2363' | Hole filled up and flowed while drilling in |
| Lime | | | 2366 | 2370 | | | |
| | | | TOTAL DEPTH- | 2370 | | | |

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|-----------|-------|--------------|------|--------|-------------------|-------------|---------|
| | | | 1000 | 1000 | | | |
| | | | 1010 | 1010 | | | |
| | | | 1020 | 1020 | | | |
| | | | 1030 | 1030 | | | |
| | | | 1040 | 1040 | | | |
| | | | 1050 | 1050 | | | |
| | | | 1060 | 1060 | | | |
| | | | 1070 | 1070 | | | |
| | | | 1080 | 1080 | | | |
| | | | 1090 | 1090 | | | |
| | | | 1100 | 1100 | | | |
| | | | 1110 | 1110 | | | |
| | | | 1120 | 1120 | | | |
| | | | 1130 | 1130 | | | |
| | | | 1140 | 1140 | | | |
| | | | 1150 | 1150 | | | |
| | | | 1160 | 1160 | | | |
| | | | 1170 | 1170 | | | |
| | | | 1180 | 1180 | | | |
| | | | 1190 | 1190 | | | |
| | | | 1200 | 1200 | | | |
| | | | 1210 | 1210 | | | |
| | | | 1220 | 1220 | | | |
| | | | 1230 | 1230 | | | |
| | | | 1240 | 1240 | | | |
| | | | 1250 | 1250 | | | |
| | | | 1260 | 1260 | | | |
| | | | 1270 | 1270 | | | |
| | | | 1280 | 1280 | | | |
| | | | 1290 | 1290 | | | |
| | | | 1300 | 1300 | | | |
| | | | 1310 | 1310 | | | |
| | | | 1320 | 1320 | | | |
| | | | 1330 | 1330 | | | |
| | | | 1340 | 1340 | | | |
| | | | 1350 | 1350 | | | |
| | | | 1360 | 1360 | | | |
| | | | 1370 | 1370 | | | |
| | | | 1380 | 1380 | | | |
| | | | 1390 | 1390 | | | |
| | | | 1400 | 1400 | | | |
| | | | 1410 | 1410 | | | |
| | | | 1420 | 1420 | | | |
| | | | 1430 | 1430 | | | |
| | | | 1440 | 1440 | | | |
| | | | 1450 | 1450 | | | |
| | | | 1460 | 1460 | | | |
| | | | 1470 | 1470 | | | |
| | | | 1480 | 1480 | | | |
| | | | 1490 | 1490 | | | |
| | | | 1500 | 1500 | | | |
| | | | 1510 | 1510 | | | |
| | | | 1520 | 1520 | | | |
| | | | 1530 | 1530 | | | |
| | | | 1540 | 1540 | | | |
| | | | 1550 | 1550 | | | |
| | | | 1560 | 1560 | | | |
| | | | 1570 | 1570 | | | |
| | | | 1580 | 1580 | | | |
| | | | 1590 | 1590 | | | |
| | | | 1600 | 1600 | | | |
| | | | 1610 | 1610 | | | |
| | | | 1620 | 1620 | | | |
| | | | 1630 | 1630 | | | |
| | | | 1640 | 1640 | | | |
| | | | 1650 | 1650 | | | |
| | | | 1660 | 1660 | | | |
| | | | 1670 | 1670 | | | |
| | | | 1680 | 1680 | | | |
| | | | 1690 | 1690 | | | |
| | | | 1700 | 1700 | | | |

Date September 30, 194²

APPROVED THE PURE OIL COMPANY, Owner

BOX 551 - NEWARK, OHIO

By Fred Miller Division (Title) Superintendent