



New Location
 Drill Deeper
 Abandonment

MAR 23 1943

#736 3.47 W
 1.57 W

Company VIRGINIAN GASOLINE & OIL CO.
 Address CHARLESTON, W.VA.
 Farm W. H. MORRIS
 Tract Acres 50 Lease No. 956
 Well (Farm) No. 5 Serial No. 736
 Elevation (Spirit Level) 827
 Quadrangle CLENDENIN
 County KANAWHA District ELK
 Engineer [Signature]
 Engineer's Registration No. 659
 File No. 70-81 Drawing No.
 Date MAR. 5, 1943 Scale 1"=400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-376-A
KAN-377-A-#441

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

"IMPERIAL" TRACING CLOTH
 K & E CO., N. Y.

W. H. MORRIS No. 441 - VIRGINIAN GASO. & OIL CO. - KAN-377-A

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

955

WELL RECORD

Permit No. 377-A

Oil or Gas Well.....
(KIND)

Company VIRGINIAN GASOLINE & OIL COMPANY
Address Box 2633, Charleston, W. Va.
Farm W. H. Morris Acres 50
Location (waters) Indian Creek
Well No. 441 Elev. 726.0
District Elk County Kanawha
The surface of tract is owned in fee by L. E. Morris, et al
Address Charleston, W. Va.
Mineral rights are owned by L. E. Morris, et al
Address Charleston, W. Va.
Drilling commenced November 20, 1912
Drilling completed December 25, 1912
Date Shot 12-30-12 From No record To
With 40 Qts.
Open Flow /10ths Water in..... Inch
/10ths Merc. in..... Inch
Volume..... Cu. Ft.
Rock Pressure..... lbs..... hrs.
Oil Swabbed 20 bbls., 1st 24 hrs.
Fresh water 280 feet..... feet
Salt water 750 & 820 feet..... feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10			Size of
8 1/4	505	505	
6 5/8	1473	1473	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED..... SIZE..... No. Ft..... Date
COAL WAS ENCOUNTERED AT 250 FEET 48 INCHES
..... FEET..... INCHES..... FEET..... INCHES
..... FEET..... INCHES..... FEET..... INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			16	80			
Sand			80	120			
Slate			120	160			
Sand			160	250			
Coal			250	254			
Slate			254	275			
Sand			275	300			
Slate			300	340			
Sand			340	400			
Slate			400	450			
Sand			450	500			
Slate			500	625			
Sand			625	675			
Lime & Shells			675	700			
Salt Sand			700	940			
Slate			940	945			
Coal			945	949			
Slate			949	953			
Second Salt Sand			953	1220			
Slate			1220	1230			
Sand			1230	1320			
Slate			1320	1328			
Red Rock			1328	1340			
Slate			1340	1348			
Maxon Sand			1348	1380			
Little Lime			1380	1425			
Slate Brake			1425	1433			
Lime			1433	1443			
Pencil Cave			1443	1447			
Big Lime			1447	1605	Gas	1504	
Slate			1605	1695		1569	
Squaw Sand			1695	1702	Gas	1700	
Slate			1702	1717			
Weir Sand			1717	1795	Oil	1717	Light Show
Total Depth				1812	Oil	1765 - 1795	



