



Company VIRGINIAN GASOLINE & OIL CO.  
 Address CHARLESTON, W.VA.  
 Farm JACOB F. THUMM HEIRS  
 Tract          Acres 60 Lease No. 27194  
 Well (Farm) No. 9 Serial No. 2954  
 Elevation (~~Spirit Level~~) 760 BAROMETER  
 Quadrangle CLENDENIN  
 County KANAWHA District ELK  
 Engineer G.A. Cunningham  
 Engineer's Registration No. 659  
 File No. 68-63 Drawing No.           
 Date MAY 11, 1943 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. KAN-383-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

952

WELL RECORD

Permit No. 343-A

Oil or Gas Well Oil  
(KIND)

Company Virginian Gasoline & Oil Company  
 Address Box 2633 Charleston, W. Va.  
 Farm Jacob F. Thumm, Heirs Acres 60  
 Location (waters) Left Fork of Pinch Creek  
 Well No. 2954 Elev. 760  
 District Elk County Kanawha  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by Geo. W. Thumm  
 Address Charleston, W. Va.  
 Drilling commenced July 15, 1912  
 Drilling completed August 31, 1912  
 Date Shot 1-15-13 From 1831 To 1838'-6"  
 With \_\_\_\_\_  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil 75 bbls., 1st 24 hrs.  
 Fresh water No Record feet \_\_\_\_\_ feet  
 Salt water " " feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	550	---	
6 5/8	1585	1585	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 300 FEET 60 INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay				10			
Slate			10	300			
Coal			300	305			
Sand			305	425			
Slate			425	450			
Sand			450	525			
Slate			525	600			
Sand			600	625			
Slate			625	750			
Sand			750	790			
Slate			790	885			
Lime			885	900			
Salt Sand			900	1360			
Red Rock			1360	1405			
Sand			1405	1520			
Lime			1520	1555			
Slate			1555	1580			
Big Lime			1580	1685			
Red Rock			1685	1705			
Slate			1705	1725			
Black Lime			1725	1830			
Squaw Sand			1830	1840			
Total Depth				1840			



