



New Location...  
 Drill Deeper...  
 Abandonment... X

✓ AUG - 2 1943

Company VIRGINIAN GASOLINE & OIL CO.  
 Address CHARLESTON, W. VA.  
 Farm A. N. GATCHELL  
 Tract \_\_\_\_\_ Acres 65 Lease No. 724  
 Well (Farm) No. 5 Serial No. 2996  
 Elevation (Spirit Level) AS SHOWN  
 Quadrangle CLENDENIN  
 County KANAWHA District ELK  
 Engineer \_\_\_\_\_  
 Engineer's Registration No. 659  
 File No. 68-63 Drawing No. \_\_\_\_\_  
 Date JULY 15, 1943 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-394-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

WC

6-6-217

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

957

Permit No. 394-A

Oil or Gas Well Oil  
(KIND)

Company Virginian Gasoline & Oil Co.  
Address Box 2633, Charleston, W. Va.  
Farm A. N. Gatchell Acres 65  
Location (waters) Elk River  
Well No. 2996 Elev. 901.0  
District Elk County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Arthur G. Stone, Att'y  
Address Charleston, W. Va.  
Drilling commenced October 9, 1912  
Drilling completed November 12, 1912  
Date Shot 11-30-12 From 1932 To 1944  
With 30 Qts.  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil 8 bbls., 1st 24 hrs.  
Fresh water No record feet \_\_\_\_\_ feet  
Salt water " " feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	<u>500</u>	<u>Pulled</u>	
6 5/8	<u>1690</u>	<u>1690</u>	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 500 FEET 60 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate				225			
Coal			500	505			
Salt Sand			975	1490			
Slate			1490	1517			
Maxon Sand			1517	1645			
Little Lime			1645	1665			
Pencil Cave			1680	1690			
Big Lime			1690	1850			
Keener Sand			1850	1875			
Red Rock			1875	1900			
Black Sand			1900	1931			
Oil Sand			1931	1946			
Slate			1946	1949			
Total Depth				1949			
Drilled Deeper December 13-1915							
Weir			2015	2096	Oil	2023-2035	Show
Total Depth				2098		2050-2079	2nd Pay

456789  
1011121314151617181920  
RECORDED  
INDEXED  
JUL 19 1943  
DEPT. OF MINES  
STATE OF WEST VIRGINIA

