



New Location
 Drill Deeper
 Abandonment

Company VIRGINIAN GASOLINE & OIL CO.
 Address CHARLESTON, W. VA.
 Farm A. N. GATCHELL
 Tract Acres 65 Lease No. 724
 Well (Farm) No. 5 Serial No. 2996
 Elevation (Spirit Level) AS SHOWN
 Quadrangle CLENDENIN
 County KANAWHA District ELK
 Engineer [Signature]
 Engineer's Registration No. 659
 File No. 68-63 Drawing No.
 Date JULY 15, 1943 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. ~~KAN-394-A-2996~~
 KAN-399-A 2945

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

956
Oil or Gas Well Oil
(KIND)

WELL RECORD

Permit No. 399-A

To be Abandoned

Company Virginian Gasoline & Oil Company
Address Charleston, W. Va.
Farm A. N. Gatchell Acres 65
Location (waters) Indian Creek
Well No. 2945 Elev. 854.0 L
District Elk County Kanawha
The surface of tract is owned in fee by.....
Address.....
Mineral rights are owned by A. N. Gatchell Hrs. -
A. G. Stone, Atty. Address Charleston, W. Va.
Drilling commenced Aug. 2, 1912
Drilling completed Sept. 9, 1912
Date Shot 9-12-1912 From 1878 To 1886
With 30 Qts.
Open Flow /10ths Water in..... Inch
/10ths Merc. in..... Inch
Volume..... Cu. Ft.
Rock Pressure..... lbs..... hrs.
Oil 150 (original prod.) bbls., 1st 24 hrs.
Fresh water..... feet..... feet
Salt water..... feet..... feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16	16'	16'	Kind of Packer.....
13			
10			Size of.....
8 1/4			
6 5/8	1618'	1618'	Depth set.....
5 3/16			
3			Perf. top.....
2			Perf. bottom.....
Liners Used			Perf. top.....
			Perf. bottom.....

CASING CEMENTED..... SIZE..... No. Ft..... Date.....
COAL WAS ENCOUNTERED AT 240 FEET 48 INCHES
..... FEET..... INCHES..... FEET..... INCHES
..... FEET..... INCHES..... FEET..... INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay				14			
Coal			240	244			
Salt Sand			900	1435			
Cave			1435	1480			
Maxon Sand			1480	1570			
Slate			1570	1575			
Little Lime			1575	1610			
Pencil Cave			1610	1615			
Big Lime			1615	1785			
Sand			1785	1810			
Red Rock			1810	1830			
Slate & Shells			1830	1876			
Oil Sand (Squaw)			1876	1888			
Total Depth			1892				
Well drilled deeper 2-6-29 from 1892'-2043							
S.I. & Shell			1892	1990			
Weir Sand			1990	2037	St. Oil	1992-1996	
Slate			2037	2043	Oil Pay	2030-2037	
Total Depth			2043				



