



New Location
 Drill Deeper
 Abandonment

Company	VIRGINIAN GASOLINE & OIL CO.
Address	CHARLESTON, W.VA.
Farm	EDWARD GEBHART
Tract	Acres 900 Lease No. 881
Well (Farm) No.	10 Serial No. 3167
Elevation (Spirit Level)	840.1
Quadrangle	CLENDENIN
County	KANAWHA District ELK
Engineer	<i>[Signature]</i>
Engineer's Registration No.	659
File No.	72-63 Drawing No.
Date	OCT. 21, 1943 Scale 1" = 1320'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-408-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

958

WELL RECORD

Permit No. 408-A

Oil or Gas Well Oil
(KIND)

Company VIRGINIAN GASOLINE & OIL COMPANY
 Address Box 2633, Charleston, W. Va.
 Farm Edward Gebhart Acres 900
 Location (waters) Blue Creek
 Well No. 3167 Elev. 840.1
 District Elk County Kanawha
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by Kanawha Crude Oil Co.
 Address Charleston, W. Va.
 Drilling commenced April 24, 1915
 Drilling completed June 12, 1915
 Date Shot 6-15-15 From 1833 To _____
 With 10 Qts
 Open Flow /10ths Water in _____ Inch
 /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil 5.4 bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water 760 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	570	Pulled	
6 5/8	1440	1440	Depth set
5 3/16	1777	1777	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 542 FEET 36 INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand				70			
Slate			70	90			
Sand			90	160			
Slate			160	180			
Sand			180	210			
Slate			210	235			
Sand			235	270			
Slate & Shells			270	335			
Sand			335	535			
Slate			535	542			
Coal			542	545			
Slate			545	570			
Sand			570	590			
Slate & Shells			590	640			
Sand			640	670			
Slate			670	710			
Salt Sand			710	797	Gas & Water	760	
Slate			797	800			
Salt Sand			800	1265			
Slate			1265	1273			
Red Rock			1273	1285			
White Slate			1285	1335			
Red Rock			1335	1345			
Slate			1345	1353			
Maxon Sand			1353	1365			
Slate			1365	1381			
Little Lime			1381	1414			
Pencil Cave			1414	1430			
Lime			1430	1433			
And Pencil Cave			1433	1440			
Big Lime			1440	1599	Gas in Line	1475	
White Slate			1599	1610			
Red Rock			1610	1635			
Lime Shells			1635	1642			
Sand			1642	1783	Gas in Sand	1684	
Slate			1783	1787			
Sand (Weir)			1787	1855	Black Oil	1840	
Total Depth				1857	Oil	1849-1855	



