



New Location   
 Drill Deeper   
 Abandonment

✓ JUL - 8 1947

3,173 W  
 3,123 W

Company Godfrey L. Cabot Inc.  
 Address 900 Union Bldg. Charleston W. Va.  
 Farm C&O Railway Co.  
 Tract A 6.9 Lease No. 4-71  
 Well (Farm) No. 1 Serial No. 394  
 Elevation (Spirit Level) 616.17  
 Quadrangle Montgomery  
 County Kanawha District Cabin Creek  
 Engineer Roy Beaton  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 11-27-46 Scale 1" = 200'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-477-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

GODFREY L. CABOT, INC.

1257

WELL RECORD

SERIAL NO. 394 OPERATING DISTRICT AUK  
 FARM Chesapeake & Ohio Railway Company NO. 1 LEASE NO. 4-71  
 COUNTY Kanawha TAX DISTRICT Cabin Creek STATE West Virginia  
 DRILLING COMMENCED February 4, 1926 DRILLING COMPLETED March 25, 1926

CONTRACTOR T. C. Hall ADDRESS  
 ROCK PRESSURE RECORD PRODUCING SAND RECORD  
 Sand lbs., in hrs. Weir Sand, from 1737 to 1800 Init. Prod. 660 M. C. F. Gas  
 Sand lbs., in hrs. Sand, from to Init. Prod. M. C. F. Gas  
 Sand lbs., in hrs. Sand, from to Init. Prod. M. C. F. Gas

OPEN FLOW Time, Condition: Est. 650M when tubed  
 Water 10ths Mercury in inch opening  
 Volume M. C. F.  
 24 HOUR PRODUCTION TEST AFTER TUBING  
 M. C. F. Line Pressure  
 Bbls. Oil in 24 Hours  
 CASING RECORD  
 SIZE WEIGHT USED IN DRILLING LEFT IN WELL HOW CASING SET  
 14" 63 63 left in  
 8" 984  
 7" 1442 1442 Ke all

TUBED AND SHUT IN Date  
 Tracker, Size Kind  
 Set, Depth Size Anchor  
 Perf. Top Bottom  
 Perf. Top Bottom  
 SHOOTING RECORD  
 Shot with 60 Qts from to Date  
 Gauge Before 500 Mcf Shot 1,000 Mcf  
 Gauge Min. 10 Hrs. After Shot

FORMATION	COLOR	TOP	BOTTOM	STEEL LINE MEASUREMENTS	HARD OR SOFT	OIL, GAS OR WATER	DEPTH FOUND	REMARKS
Gravel		0	62					
Sand		62	80					
Slate		80	165					
Sand		165	185					
Slate & Shells		185	350					
Wampus Rock		350	523					
Slate		523	585					
Salt Sand		585	808					
Shale		808	818					
Lime		818	885					
Slate & Shell		885	935					
Lime		935	947					
Shale		947	960					
Red Shale		960	982					
Lime		982	1005					
Slate & Shell		1005	1045					
Redrock		1045	1180					
Slate		1180	1216					
Sand		1216	1236					
Slate		1236	1267					
Maxton		1267	1322					
Little Lime		1322	1378					
Pencil cave		1378	1388					
Dark Lime		1388	1405					
Slate		1405	1410					

SERIAL NO. 394 FARM C&O Rwy Co NO. 1 OPERATING DIST. Cabin Creek MAP SQUARE 29-44  
 TOWNSHIP WARRANT NO.

FORMATION	COLOR	TOP	BOTTOM	STEEL LINE MEASUREMENTS	HARD OR SOFT	OIL, GAS OR WATER	DEPTH FOUND	REMARKS
Big Lime		1410	1605					
Injun		1605	1650			Oil	1650	Show
Slate		1650	1660					
Weir		1660	1829			Gas	1737-50	94 Mcf
Slate		1829	1835			Gas	1780-1800	660 Mcf
Line		1835	1854					
Total Depth			1854					

DATE \_\_\_\_\_

APPROVED \_\_\_\_\_  
 FOREMAN