



New Location...   
 Drill Deeper...   
 Abandonment...

|    |        |
|----|--------|
| #1 | 3.35 S |
|    | 3.36 W |
| #2 | 3.67 S |
|    | 3.38 W |
| #3 | 3.50 S |
|    | 3.35 W |

Company ROY & MCOMAS  
 Address HUNTINGTON, W.VA.  
 Farm ROBSON & PRICHARD  
 Tract \_\_\_\_\_ Acres 60 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1-2 & 3 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) No. 1-610, No. 2-615, No. 3-612  
 Quadrangle MONTGOMERY  
 County KANAWHA District CABIN CREEK  
 Engineer G. C. Owing  
 Engineer's Registration No. 309  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 5-25-44 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO KAN-421-A #1  
KAN-479A #2, KAN-480A #3

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6 242

ROBSON & PRICHARD NO. 3 WELL.  
(Robinson?) (Record)

480A

Cabin Creek District, Kanawha County, W. Va.  
By Roy & McComas, Huntington, W. Va.  
Abandoned under permit Kan-.....-A7  
On 60 acres, on Paint Creek.  
Elevation, 612' L.  
Surface and minerals owned by Robson & Prichard, Huntington, W. Va.  
Drilling commenced March 1, 1926; completed May 28, 1926.  
Well was not shot.  
Volume, 450,000 cu. ft.  
13" casing, 40'; 6" tubing, 1437'; 2" tubing, 2145'; all left in.  
Gas well. Record to Dept. of Mines stamped June 22, 1944.  
Record to RCT from Mrs. Griffith Nov. 26, 1947. Old File No. 1269.

|                               | Top. | Bottom. |
|-------------------------------|------|---------|
| Gravel                        | 0    | 38      |
| Slate and shells              | 38   | 320     |
| Sand, white                   | 320  | 360     |
| Slate                         | 360  | 365     |
| Crampus Sand                  | 365  | 600     |
| Salt Sand                     | 600  | 763     |
| Break, slate                  | 763  | 768     |
| Sand                          | 768  | 808     |
| Slate shells                  | 808  | 935     |
| Red rock                      | 935  | 950     |
| Slate                         | 950  | 955     |
| Red rock                      | 955  | 985     |
| Slate                         | 985  | 995     |
| Shell                         | 995  | 1000    |
| Red rock                      | 1000 | 1170    |
| Shell                         | 1170 | 1185    |
| Slate shells                  | 1185 | 1246    |
| Maxton Sand                   | 1246 | 1325    |
| Line and slate                | 1325 | 1380    |
| Little Line                   | 1380 | 1415    |
| Pencil Cave                   | 1415 | 1420    |
| Big Line                      | 1420 | 1632    |
| Break, red rock               | 1632 | 1638    |
| Big Injun Sand                | 1638 | 1698    |
| Weir Sand                     | 1698 | 1870    |
| Slate                         | 1870 | 2057    |
| Brown shale                   | 2057 | 2087    |
| Berea Grit                    | 2087 | 2131    |
| Total depth (from tubing) (?) |      | 2145    |



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1269  
2 Fracture well  
Stamp: STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

Permit No. KAN-480-A

WELL RECORD

Oil or Gas Well (KIND)

Company Roy & McComas  
Address Huntington W. Va.  
Farm Robinson & Prichard Acres 60  
Location (waters) Paint Creek  
Well No. 3 Elev. 612 ft  
District Cabin Creek County Marion  
The surface of tract is owned in fee by Robinson & Prichard  
Address Huntington W. Va.  
Mineral rights are owned by Robinson & Prichard  
Address Huntington W. Va.  
Drilling commenced March 1, 1926  
Drilling completed May 28, 1926  
Date Shot not shot From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
450,000 /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

| Casing and Tubing | Used in Drilling | Left in Well   | Packers                  |
|-------------------|------------------|----------------|--------------------------|
| Size              |                  |                |                          |
| 16                |                  |                | Kind of Packer           |
| 13                |                  | <u>40 ft</u>   | <u>none</u>              |
| 10                |                  |                | Size of                  |
| 8 1/4             |                  |                | Depth set <u>1430</u>    |
| 6 5/8             |                  | <u>1437 ft</u> | Perf. top                |
| 5 3/16            |                  |                | Perf. bottom <u>1398</u> |
| 3                 |                  |                | Perf. top                |
| 2                 |                  | <u>2145 ft</u> | Perf. bottom             |
| Liners Used       |                  |                |                          |

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

| Formation    | Color | Hard or Soft | Top  | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|--------------|-------|--------------|------|--------|-------------------|-------------|---------|
| Gravel       |       |              | 0    | 38     |                   |             |         |
| late shells  |       |              | 38   | 320    |                   |             |         |
| and white    |       |              | 320  | 360    |                   |             |         |
| slate        |       |              | 360  | 365    |                   |             |         |
| conglomerate |       |              | 365  | 600    |                   |             |         |
| et sand      |       |              | 600  | 763    |                   |             |         |
| shale        |       |              | 763  | 768    |                   |             |         |
| sand         |       |              | 768  | 808    |                   |             |         |
| late shells  |       |              | 808  | 935    |                   |             |         |
| red rock     |       |              | 935  | 950    |                   |             |         |
| slate        |       |              | 950  | 955    |                   |             |         |
| red rock     |       |              | 955  | 985    |                   |             |         |
| slate        |       |              | 985  | 995    |                   |             |         |
| shell        |       |              | 995  | 1000   |                   |             |         |
| red rock     |       |              | 1000 | 1170   |                   |             |         |
| shell        |       |              | 1170 | 1185   |                   |             |         |
| late shells  |       |              | 1185 | 1246   |                   |             |         |
| conglomerate |       |              | 1246 | 1325   |                   |             |         |
| red slate    |       |              | 1325 | 1380   |                   |             |         |
| to lime      |       |              | 1380 | 1415   |                   |             |         |
| oil cone     |       |              | 1415 | 1420   |                   |             |         |
| oil cone     |       |              | 1420 | 1632   |                   |             |         |

