



Company VIRGINIAN GASOLINE & O. CO.
 Address CHARLESTON, W. VA.
 Farm SWARTZ & BARTH
 Tract _____ Acres 100 Lease No. 780
 Well (Farm) No. 5 Serial No. 2833
 Elevation (Spirit Level) 634'
 Quadrangle CLENDENIN
 County KANAWHA District ELK
 Engineer _____
 Engineer's Registration No. 662
 File No. 70-65 Drawing No. _____
 Date AUGUST 12 1947 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-483-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing

SWARTZ & BARTH NO. 5 (2833) - VIRGINIAN GASOLINE & OIL CO. - KAN-483-A



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1270

WELL RECORD

Oil or Gas Well **Oil**
(KIND)

Permit No.

ABANDONMENT

Company VIRGINIAN GASOLINE & OIL COMPANY
Address P.O. Box 1273, Charleston 25, W. Va.
Farm Swartz & Barth Acres 100
Location (waters) Inhoff Br.
Well No. 2833 Elev. 634. Level 16
District Elk County Kanawha
The surface of tract is owned in fee by
Address
Mineral rights are owned by Margaret Crowe et al
206 Tenn. Ave. Address Charleston, W. Va.
Drilling commenced 1-24-1912
Drilling completed 2-29-1912
Date Shot Not Shot From To
With
Open Flow /10ths Water in Inch
 /10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil 1200 bbls., 1st 24 hrs.
Fresh water feet feet
Salt water 800 feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	32'	32'	Size of <u>Left</u>
8 1/4	400'		
6 5/8	1432'	1432'	Depth set <u>111' Left</u>
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT 275 FEET 120 INCHES
 FEET INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay & Shale				32			
Shale			32	130			
Sand			130	180			
Shale			180	275			
Coal			275	285			
Shale			285	400			
Sand & Shell			400	715			
Salt Sand			715	1254	Water	800	
Red Rock			1254	1260			
Lime			1260	1290			
Red Rock			1290	1315			
Lime			1315	1335			
Shale & Shells			1335	1363			
Little Lime			1363	1395			
Pencil Cave			1395	1400			
Lime			1400	1415			
Shale & Lime			1415	1428			
Big Lime			1428	1581			
Sand			1581	1596			
Red Rock			1596	1671			
Black Sand			1671	1680			
Oil Sand			1680	1690			
Total Depth:			1709'				



