

#11

503a

Elk District, Kanawha County, W. Va.

By Virginian Gasoline &amp; Oil Co., Box 1273, Charleston, 25, W. Va.

Abandoned under permit Kan-.....-A?

On 80 acres, on branch of Left Fork of Pinch Creek.

Elevation, 811' L.

Minerals owned by J. A. White, Agent, et al., 120 $\frac{1}{2}$  Washington St.,  
Charleston, W. Va.

Drilling commenced May 10, 1912; completed June 15, 1912.

Oil, 50 bbls., 1st 24 hrs. (Squaw Sand).

8 $\frac{1}{2}$ " casing, 450' (pulled); 6 $\frac{3}{4}$ ", 1624'; 5 $\frac{1}{2}$ ", 1683'.

Coal was encountered at 425-430'.

Oil well. Abandonment reported to Dept. of Mines May 10, 1948.

	Top.	Bottom.
Sand	0	215
Slate and shell	215	425
Coal	425	430
Sand	430	525
Slate	525	925
Salt Sand	925	1410
Maxton Sand	1410	1450
Little Lime	1450	1480
Slate	1480	1620
Big Lime	1620	1771
Red rock and slate	1771	1855
Oil sand (Squaw) (gas, 1856'; oil, 1857')	1855	1868 $\frac{1}{2}$
Total depth		1888 $\frac{1}{2}$



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1377

WELL RECORD

Permit No. 503A

ABANDONMENT

Oil or Gas Well Oil  
(KIND)

Company VIRGINIAN GASOLINE & OIL COMPANY  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm G. W. White Acres 80  
Location (waters) Br. of Lt. Fk. of Pinch Cr.  
Well No. 2886 Elev. 811  
District Elk County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by J. A. White, Agent, et al  
120 1/2 Washington St. Address Charleston, W. Va.  
Drilling commenced 5-10-12  
Drilling completed 6-15-12  
Date Shot Not Shown From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4	<u>450'</u>	<u>Pulled</u>	
6 3/4	<u>1624'</u>	<u>1624'</u>	Depth set
5 3/16	<u>1683'</u>	<u>1683'</u>	<u>1200</u>
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil 50 (Squaw) bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 425 FEET 60 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			0	215			
Slate & Shell			215	425			
Coal			425	430			
Sand			430	525			
Slate			525	925			
Slat Sand			925	1410			
Maxon Sand			1410	1450			
Little Lime			1450	1480			
Slate			1480	1620			
Big Lime			1620	1771			
Red Rock & Slate			1771	1855			
Oil Sand			1855	1868 1/2	Gas	1856'	
Total Depth:				1888 1/2	Oil	1857'	



