



# 1	0.74	S
	4.50	W
# 2	0.80	S
	4.53	W

New Location...   
 Drill Deeper...   
 Abandonment...

Company OKMULGEE SUPPLY CORP.  
 Address OKMULGEE OKLA.  
 Farm SLACK & WERTS  
 Tract \_\_\_\_\_ Acres 45 Lease No. WC  
 Well (Farm) No. 51-2 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) #1 - 695.00 - #2 - 745.00  
 Quadrangle CLENDENNIN  
 County KANAWHA District LLK  
 Engineer C. F. Dye  
 Engineer's Registration No. 804  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 7-23-48 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-521-A-#1  
KAN-522-A-#2

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

SLACK-WERTZ NO. 1 WELL.

521A

Elk District, Kanawha County, W. Va.

By Okmulgee Supply Corp., Box 911, Okmulgee, Okla.

Abandoned under permit Kan-.....-A?

On ..... acres.

Elevation, .....' L.

Shot July 17, 1913, at 1832-1839' and Dec. 19, 1917, at 1941-1992'.

8 $\frac{5}{8}$ " casing, 460'; 7", 1600'.

Oil well. Record to Dept. of Mines stamped Aug. 10, 1948.

Record to RCT from Mrs. Griffith Sept. 23, 1948. Old File No. 1312.

	Top.	Bottom.
Salt Sand	855	- 1375
Maxton Sand	1425	- 1515
Big Injun Sand	1715	- 1745
Squaw Sand	1833	- 1855
Weir Sand	1940	- 1993
Total depth		1995



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1317

WELL RECORD

Permit No. 5274A Oil or Gas Well X (KIND)

Company OKMULGEE SUPPLY CORP.  
Address Box 911 - Okmulgee, Okla.  
Farm Slack-Wertz Acres \_\_\_\_\_  
Location (waters) \_\_\_\_\_  
Well No. No. 1 Elev. \_\_\_\_\_  
District Blk County Kennecott  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date Shot 7-17-13 From 1832 To 1839  
With 12-19-17 From 1941 To 1992  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 5/8"	460'	460'	<u>all</u>
7"	1800'	1800'	Depth set <u>all</u>
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt Sand			855	1375			
Maxon Sand			1425	1515			
Big Injun			1715	1745			
Squaw Sand			1833	1855			
Weir Sand			1940	1993			
Total Depth				1995			



