



New Location   
 Drill Deeper   
 Abandonment

Company VIRGINIAN GASOLINE & OIL CO.  
 Address CHARLESTON, W. VA.  
 Farm J. M. YOUNG  
 Tract \_\_\_\_\_ Acres 150 Lease No. 603  
 Well (Farm) No. 5 Serial No. 2922  
 Elevation (Spirit Level) 621  
 Quadrangle CLENDENIN  
 County KANAWHA District BIG SANDY  
 Engineer J. H. Moore  
 Engineer's Registration No. 662  
 File No. 72-67 Drawing No. \_\_\_\_\_  
 Date 10-11-48 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-551-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6 217

Big Sandy District, Kanawha County, W. Va.

By Virginian Gasoline & Oil Co., Box 1273, Charleston, 25, W. Va.

Abandoned under permit Kan-.....-A?

On 150 acres, on Young Branch.

Elevation, 621' L.

Minerals owned by Julia Young et al., 5439 Hammel Ave., Cincinnati, Ohio.

Drilling commenced June 26, 1912; completed July 30, 1912.

Date of shot not shown.

Oil, 250 bbls., Squaw Sand.

Salt water, 870'.

10" casing, 61'; 8 $\frac{1}{4}$ " , 450' (pulled); 6 $\frac{5}{8}$ " , 1405'; 5 $\frac{3}{16}$ " , 367'.

Bottom hole packer, 6 $\frac{5}{8}$  x 8".

Oil well. Abandonment reported to Dept. of Mines Oct. 18, 1948.

Record to RCT from Mrs. Griffith Jan. 5, 1949. Old File No. 1349.

	Top.	Bottom.
Clay	0	61
Sand	61	161
Slate	161	200
Sand	200	240
Slate	240	280
Sand	280	320
Slate	320	340
Sand	340	400
Slate	400	480
Sand	480	540
Slate	540	560
Sand	560	655
Slate and shell	655	810
Salt Sand (big water, 870')	810	1175
Slate and shell	1175	1210
Red rock	1210	1240
Shell	1240	1260
Red rock	1260	1270
Lime shell	1270	1300
Red rock	1300	1320
Lime shell	1320	1330
Break	1330	1340
Little Lime	1340	1368
Pencil Cave	1368	1374
Lime shells	1374	1380
Red rock	1380	1390
Slate	1390	1398
Big Lime	1398	1530
Sand	1530	1560
Slate and shell	1560	1615
Red sand	1615	1620
Shells	1620	1656
Oil sand (Squaw)	1656	1672
Total depth		1672



*Completed No inspection*

1349

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD  
ABANDONMENT

Oil or Gas Well Oil  
(KIND)

Permit No. 551-A

Company VIRGINIAN GASOLINE & OIL CO.  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm J. M. Young Acres 150  
Location (waters) Young Branch  
Well No. 2922 Elev. 621  
District Big Sandy County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Julia Young et al  
6439 Hammel Ave. Address Cincinnati, Ohio  
Drilling commenced 6-26-12  
Drilling completed 7-30-12  
Date Shot Not Shown From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil 250 (Squaw) bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water 870 feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Bottom Hole</u>
13			Size of <u>6-5/8 X 8</u>
10	<u>61</u>	<u>61</u>	Depth set. <u>Not Given</u>
8 1/4	<u>450</u>	<u>Pulled</u>	
6 5/8	<u>1405</u>	<u>1405</u>	
5 3/16	<u>367</u>	<u>367</u>	
3			Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay				61			
Sand			61	161			
Slate			161	200			
Sand			200	240			
Slate			240	280			
Sand			280	320			
Slate			320	340			
Sand			340	400			
Slate			400	480			
Sand			480	540			
Slate			540	560			
Sand			560	655			
Slate & Shell			655	810			
Salt Sand			810	1175			
Slate & Shell			1175	1210			
Red Rock			1210	1240			
Shell			1240	1260			
Red Rock			1260	1270			
Lime Shell			1270	1300			
Red Rock			1300	1320			
Lime Shell			1320	1330			
Brake			1330	1340			
Little Lime			1340	1368			
Pencil Cave			1368	1374			
Lime Shells			1374	1380			
Red Rock			1380	1390			
Slate			1390	1398			
Big Lime			1398	1530			
Sand			1530	1560			
Slate & Shell			1560	1615			
Red Sand			1615	1620			
Shells			1620	1656			
Oil Sand			1656	1672			
Total Depth				1672'			

Big Water 870'



