



New Location   
 Drill Deeper   
 Abandonment

Company OKMULGEE SUPPLY CORP.  
 Address OKMULGEE, OKLA.  
 Farm F. G. WOODY  
 Tract \_\_\_\_\_ Acres 89 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 846.70  
 Quadrangle CLENDENNIN  
 County KANAWHA District ELK  
 Engineer L. F. Dye  
 Engineer's Registration No. 804  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 12-15-48 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. KAN-563-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

6-0-217



F. G. WOODY NO. 1 WELL.

563A

Elk District, Kanawha County, W. Va.  
By Okmulgee Supply Corp., Okmulgee, Okla.  
Abandoned under permit Kan-.....-A?  
On.....acres, on Elk River.  
Elevation, ..... ' L.  
Drilling completed in 1916.  
Shot Feb. 2, 1916, at 1976-2050' and Sept. 6, 1918, at 2035-2050'.  
8 $\frac{3}{8}$ " casing, 485'; 7" O. D., 1665'; 2" tubing, 2053'; all left in.  
Record to Dept. of Mines not dated or stamped.  
Oil well.  
Record to RCT from Mrs. Griffith April 18, 1949. Old File No. 1382.

	Top.	Bottom.
Coal	320	- 324
Salt Sand	960	- 1445
Maxton Sand	1555	- 1586
Big Lime (gas, 1689 and 1790')	1648	- 1808
Big Injun Sand	1808	- 1814
Squaw Sand	1920	- 1932
Weir Sand (oil, 1970, 1983, and 2046')	1970	- 2051
Total depth		2053





*Completed no finishing Report*

*1382*

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 563-A

Oil or Gas Well \_\_\_\_\_ (KIND)

Company Okmulgee Supply Corporation  
 Address Okmulgee, Okla  
 Farm F. G. Woody Acres \_\_\_\_\_  
 Location (waters) Elk River  
 Well No. No. 1 Elev. \_\_\_\_\_  
 District Elk County Kenawha  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed 1916  
 Date Shot From 1976 To 2050  
 With \_\_\_\_\_  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4 - 8-5/8	485	485	Depth set
6 5/8 - 7" OD	1665	1665	
5 3/16			
3			Perf. top
2	2053	2053	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Da \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			320	324			
Salt Sand			960	1445			
Maxon Sand			1555	1586			
Big Lime			1648	1808			
Gas			1689				
Gas			1790				
Big Injun			1808	1814			
Squaw Sand			1920	1932			
Weir Sand			1970	2051			
Oil				1970			
Oil				1983			
Oil				2046			
Total Depth				2053			
SHOT RECORD							
2/2/16		1976-2050					
9/6/18		2035-2050					