



| | | |
|----|------|---|
| #1 | 0.49 | S |
| | 2.60 | W |
| #7 | 0.57 | S |
| | 2.56 | W |

New Location..
 Drill Deeper.....
 Abandonment.....

Company EVERITT — WHITING INC.
KANAWHA ACCOUNT
 Address OKEMAH, OKLA.
 Farm D. R. CARNES
 Tract _____ Acres 75 Lease No. C
 Well (Farm) No. 5 7-1 Serial No. _____
 Elevation (Spirit Level) *7-1245.00 #1-1185.00
 Quadrangle CLENDENNIN
 County KANAWHA District BIG SANDY
 Engineer R. F. Frye
 Engineer's Registration No. 804
 File No. _____ Drawing No. _____
 Date 1-17-49 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-587-A-#1
KAN-588-A-#7

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Completed
710 Inspection

1370

587-A

WELL RECORD

Permit No. _____ Oil or Gas Well _____ (KIND)

Company Everitt - Whiting, Inc.,
Address Okemah, Okla.
Farm D. R. Carnes Acres 75
Location (waters) _____
Well No. Big Sandy **1185** Elev. Kanawha
District _____ County _____
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced _____
Drilling completed March 15, 1913
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|----------------|
| Size | | | Kind of Packer |
| 16 | | | |
| 13 | | | |
| 10 | | | Size of |
| 8 1/4 - 8-5/8" | 780 | 780 | Depth set |
| 6 1/2 - 7" OD | 1831' 7" | 1831' 7" | |
| 5 3/16 | | | |
| 3 | | | Perf. top |
| 2 | 2170 | 2170 | Perf. bottom |
| Liners Used | | | Perf. top |
| | | | Perf. bottom |

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|----------------|-------|--------------|------|---------------------|-------------------|-------------|---------|
| Coal | | | 360 | 369 | | | |
| Coal | | | 750 | 754 | | | |
| Salt Sand | | | 1200 | 1565 | | | |
| Maxon Sand | | | 1600 | 1630 | | | |
| Big Lime | | | 1786 | 1957 | | | |
| Big Injun Sand | | | 1967 | 2012 | | | |
| Squaw Sand | | | 2014 | 2054 | | | |
| Weir Sand | | | 2140 | | | | |
| Oil & Gas | | | | 2163 | | | |
| Total Depth | | | | 2170 | | | |
| SHOT RECORD | | | TOP | BOTTOM | | | |
| | | | 2163 | 2167 - 10 Qts. | | | |
| | | | 2163 | 2176 - 20 " | | | |
| | | | 2163 | 2173 - 30 Qts | | | |
| | | | 2161 | 2170 - 40 " | | | |
| | | | 2160 | 2167 - 60 " | | | |
| | | | 2162 | 2171 - 40 " | | | |
| | | | 2162 | 2170 - 40 " | | | |
| | | | 2162 | 2170 - 40 " | | | |
| | | | 2163 | 2170 - 600# Carbide | | | |