



Latitude 38° 25'

Longitude 81° 20'

|    |        |
|----|--------|
| #1 | 0.32 S |
|    | 2.42 W |
| #2 | 0.40 S |
|    | 2.42 W |
| #5 | 0.33 S |
|    | 2.37 W |

New Location   
 Drill Deeper   
 Abandonment

Company EVERITT-WHITING INC.  
KANAWHA ACCOUNT  
 Address OKEMAH, OKLA.  
 Farm J. H. MEADOWS  
 Tract \_\_\_\_\_ Acres 70 Lease No. \_\_\_\_\_  
 Well (Farm) No. 512-5 Serial No. C  
 Elevation (Spirit Level) SEE ABOVE  
 Quadrangle CLENDENNIN  
 County KANAWHA District BIG SANDY  
 Engineer L. F. Dye  
 Engineer's Registration No. 804  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 1-17-49 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**

FILE NO. KAN-589-A-#1  
KAN-590-A-#2  
KAN-591-A-#5

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

J. H. MEDDERS NO. 2 WELL.

1

590A

Big Sandy District, Kanawha County, W. Va.

By Everitt-Whiting, Inc., Okemah, Okla.

Abandoned under permit Kan-.....-A?

On 70 acres.

Elevation, 1243.30' L.

Drilling completed Oct. 11, 1913.

Shot Oct. 13, 1913, with 10 qts., at 2353-2360'; June 5, 1918, with 20 qts., at 2352-2362'; and June 30, 1923, at 2349' (top).

8<sup>5</sup>/<sub>8</sub>" casing, 983'; 7" O. D., 1985'; 2" tubing, 2368'; all left in.

Oil well. Record to Dept. of Mines not dated or stamped.

Record to RCT from Mrs. Griffith March 17, 1949. Old File No. 1373.

|                                | Top. | Bottom. |
|--------------------------------|------|---------|
| Coal                           | 530  | - 533   |
| Salt Sand                      | 1340 | - 1770  |
| Maxton Sand                    | 1870 | - 1894  |
| Big Lime                       | 1950 | - 2128  |
| Big Injun Sand                 | 2128 | - 2140  |
| Squaw Sand                     | 2225 | - 2250  |
| Weir Sand (oil and gas, 2353') | 2272 | - 2363  |
| Total depth                    |      | 2368    |



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Completed  
No Inspections

1373

Ab 590-A

WELL RECORD

Permit No. \_\_\_\_\_ Oil or Gas Well \_\_\_\_\_ (KIND)

Company Everitt - Whiting, Inc.,  
Address Okemah, Okla.  
Farm J. H. Medders Acres 70  
Location (waters) \_\_\_\_\_  
Well No. 2 Elev. 1243/30'  
District Big Sandy County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_  
Drilling completed October 11, 1913  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

| Casing and Tubing | Used in Drilling | Left in Well | Packers        |
|-------------------|------------------|--------------|----------------|
| Size              |                  |              | Kind of Packer |
| 16                |                  |              |                |
| 13                |                  |              | Size of        |
| 10                |                  |              | Depth set      |
| 8 1/2 - 8-5/8"    | 983              | 983          | Perf. top      |
| 6 5/8 - 7" OD     | 1985             | 1985         | Perf. bottom   |
| 5 3/16            |                  |              | Perf. top      |
| 3                 |                  |              | Perf. bottom   |
| 2                 | 2368'            | 2368'        |                |
| Liners Used       |                  |              |                |

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

| Formation      | Color | Hard or Soft | Top  | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|----------------|-------|--------------|------|--------|-------------------|-------------|---------|
| Coal           |       |              | 530  | 533    |                   |             |         |
| Salt Sand      |       |              | 1340 | 1770   |                   |             |         |
| Maxon Sand     |       |              | 1870 | 1894   |                   |             |         |
| Big Lime       |       |              | 1950 | 2128   |                   |             |         |
| Big Injun Sand |       |              | 2128 | 2140   |                   |             |         |
| Squaw Sand     |       |              | 2225 | 2250   |                   |             |         |
| Weir Sand      |       |              | 2272 | 2363   |                   |             |         |
| Oil & Gas      |       |              | 2353 |        |                   |             |         |
| Total Depth    |       |              |      | 2368   |                   |             |         |
| SHOT RECORD    |       |              | TOP  | BOTTOM |                   |             |         |
|                |       |              | 2353 | 2360   | 10 Qts.           |             |         |
|                |       |              | 2352 | 2362   | 20 "              |             |         |
|                |       |              | 2349 |        |                   |             |         |

(Over)

MAR 17 1949