

Latitude 38 30

Longitude 81 20

JOHN SLACK HRS.

SARAH OSBORN

WHEELER JAMES

K.C. COLEMAN

G.T. WOODS 412<sup>±</sup>

CHEST STAMP WITH CHEST PTRS.

59°W 1703'

STAKE

N6°45'W 1840'

2 CHEST. OF K STUMPS ON SIDE OF RIDGE

C.A. RAY

R. W. R. W.

S18°E 1977'

N82°30'E 1600'

LARGE BLACK OAK

N42°30'W 495'  
CHEST & CHEST OAK ON SIDE OF RIDGE

BEECH (PAINTED)

S18°E 533'

N55°E 4270'

PARIS PERDEW

S72°E 106'

S19°30'W 934'

J.M. YOUNG

HICKORY STR

KATE HUFFMAN

SAND

#2956	1.98 S
	4.93 W
#2976	1.88 S
	4.42 W
#2986	2.11 S
	4.50 W
#2999	2.08 S
	4.40 W
#3035	1.89 S
	4.71 W

- New Location
- Drill Deeper
- Abandonments

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W.VA.  
 Farm G.T. WOODS  
 Tract \_\_\_\_\_ Acres 412 Lease No. 580  
 Well (Farm) No. 14,6712 Serial No. 3035-2986-2999  
7-954, 12-764  
 Elevation (Spirit Level) 1823, 4-824, 5-1047  
 Quadrangle CLENDENIN  
 County KANAWHA District BIG SANDY  
 Engineer L.A. Moore **NC**  
 Engineer's Registration No. 662  
 File No. 72-67 Drawing No. \_\_\_\_\_  
 Date 3-30-49 Scale 1"=1000'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 KAN-621-A - #2956  
 FILE NO. KAN-622-A - #2976  
 KAN-625-A KAN-623-A - #2986  
 #3035 KAN-624-A - #2999  
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1404

WELL RECORD  
ABANDONMENT

Oil or Gas Well Oil  
(KIND)

Permit No. 621-A

Company United Fuel Gas Company  
Address P. O. Box 1273, Charleston 25, W. Va.  
Farm C. T. Woods Acres 412  
Location (waters) Sand Run of Elk River  
Well No. 2956 Elev. 823  
District Big Sandy County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Myrtle W. Hall  
1500 Kan. Blvd. Address Chas., W. Va.  
Drilling commenced 7-31-12  
Drilling completed 9-12-12  
Date Shot Not Given From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil 130 bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4			
6 5/8	1616	1616	Depth set
5 3/16			
3			Perf. top
2 Tubing	1894	1894	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 375 FEET 60 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay				16			
Slate			16	70			
Lime			70	100			
Sand			100	160			
Slate			160	195			
Sand			195	375			
Coal			375	380			
Slate			380	400			
Sand			400	475			
Slate			475	490			
Sand & Lime			490	540			
Slate			540	563			
Sand			563	640			
Slate			640	709			
Sandy Lime			709	735			
Slate			735	826			
Sand			826	904			
Slate			904	924			
Limestone			924	960			
Slate			960	1022			
Salt Sand			1022	1401			
Slate			1401	1415			
Limestone			1415	1430			
Slate & Shells			1430	1551			
Little Lime			1551	1589			
Slate			1589	1599			
Pencil Cave			1599	1606			
Big Lime			1606	1745			
Injun Sand			1745	1815			
Slate			1815	1883			
Oil Sand			1883	1894			
Total Depth				1894'			



