



New Location   
 Drill Deeper   
 Abandonment

5504

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W. VA.  
 Farm HENRY A. SAMPSON  
 Tract \_\_\_\_\_ Acres 71.2 Lease No. 27461  
 Well (Farm) No. 1, 2, 3 Serial No. 3210-3228  
 Elevation (Spirit Level) 1-1047.4, 2-864.8, 3-1180  
 Quadrangle CLENDENIN  
 County KANAWHA District ELK  
 Engineer J. A. Moore  
 Engineer's Registration No. 662  
 File No. 72-63 Drawing No. \_\_\_\_\_  
 Date 4-18-49 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-630-A-#3228  
KAN-631-A-#3210  
KAN-632-A-#3148

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6-217

H. A. SAMPSON NO. 3148 WELL.

632A

Elk District, Kanawha County, W. Va.  
 By United Fuel Gas Co., Box 1273, Charleston, 25, W. Va.  
 Abandoned under permit Kan-.....-A?  
 On 71.2 acres, on Billy Branch.  
 Elevation, 1047.4' L.  
 Minerals owned by Virginian Gasoline & Oil Co., Box 2633, Charleston,  
 29, W. Va.  
 Drilling commenced March 2, 1915; completed April 15, 1915.  
 Date shot, not given.  
 Oil, 50 bbls., 1st 24 hrs.  
 8 1/4" casing, 645'; 6 3/8", 1668'; 5 1/2", 1973'; 2" tubing, 2076'; all left in.  
 Oil well. Record to Dept. of Mines dated April 18, 1949.  
 Record to RCT from Mrs. Griffith Nov. 4, 1949. Old File No. 1418.

|                  | Top. | Bottom. |
|------------------|------|---------|
| Clay             | 0    | 80      |
| Sand             | 80   | 110     |
| Slate            | 110  | 130     |
| Sand             | 130  | 4007    |
| Slate and shells | 4807 | 540     |
| Sand             | 540  | 615     |
| Slate and shells | 615  | 785     |
| Sand             | 785  | 815     |
| Slate and shells | 815  | 920     |
| Salt Sand        | 920  | 1460    |
| Red lime         | 1460 | 1505    |
| Slate            | 1505 | 1510    |
| Big Lime         | 1510 | 1535    |
| Red rock         | 1535 | 1555    |
| Slate            | 1555 | 1568    |
| Maxton Sand      | 1568 | 1585    |
| Slate            | 1585 | 1610    |
| Little Lime      | 1610 | 1647    |
| Pencil Cave      | 1647 | 1661    |
| Big Lime         | 1661 | 1800    |
| Slate and shells | 1800 | 1900    |
| Weir Sand        | 1900 | 2074    |
| Total depth      |      | 2076    |



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1418

WELL RECORD  
ABANDONMENT

Permit No. 6377-A

Oil or Gas Well Oil  
(KIND)

Company United Fuel Gas Company  
Address P. O. Box 1273, Charleston 25, W. Va.  
Farm H. A. Sampson Acres 71.2  
Location (waters) Billeys Branch  
Well No. 3148 Elev. 1047.4  
District Elk County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Virginian Gasoline & Oil Co.  
P. O. Box 2633 Address Chas. 29, W. Va.  
Drilling commenced 3-2-15  
Drilling completed 4-15-15  
Date Shot Not Given From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil 50 bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

| Casing and Tubing  | Used in Drilling | Left in Well | Packers        |
|--------------------|------------------|--------------|----------------|
| Size               |                  |              | Kind of Packer |
| 16                 |                  |              |                |
| 13                 |                  |              |                |
| 10                 |                  |              | Size of        |
| 8 1/4 <u>used</u>  | <u>645</u>       | <u>645</u>   |                |
| 6 5/8              | <u>1668</u>      | <u>1668</u>  | Depth set      |
| 5 3/16 <u>used</u> | <u>1973</u>      | <u>1973</u>  |                |
| 3                  |                  |              | Perf. top      |
| 2 <u>Tubing</u>    |                  | <u>2076</u>  | Perf. bottom   |
| Liners Used        |                  |              | Perf. top      |
|                    |                  |              | Perf. bottom   |

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

| Formation      | Color | Hard or Soft | Top  | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|----------------|-------|--------------|------|--------|-------------------|-------------|---------|
| Clay           |       |              |      | 80     |                   |             |         |
| Sand           |       |              | 80   | 110    |                   |             |         |
| Slate          |       |              | 110  | 130    |                   |             |         |
| Sand           |       |              | 130  | 400    |                   |             |         |
| Slate & Shells |       |              | 480  | 540    |                   |             |         |
| Sand           |       |              | 540  | 615    |                   |             |         |
| Slate & Shells |       |              | 615  | 785    |                   |             |         |
| Sand           |       |              | 785  | 815    |                   |             |         |
| Slate & Shells |       |              | 815  | 920    |                   |             |         |
| Salt Sand      |       |              | 920  | 1460   |                   |             |         |
| Red Lime       |       |              | 1460 | 1505   |                   |             |         |
| Slate          |       |              | 1505 | 1510   |                   |             |         |
| Big Lime       |       |              | 1510 | 1535   |                   |             |         |
| Red Rock       |       |              | 1535 | 1555   |                   |             |         |
| Slate          |       |              | 1555 | 1568   |                   |             |         |
| Maxon Sand     |       |              | 1568 | 1585   |                   |             |         |
| Slate          |       |              | 1585 | 1610   |                   |             |         |
| Little Lime    |       |              | 1610 | 1647   |                   |             |         |
| Pencil Cave    |       |              | 1647 | 1661   |                   |             |         |
| Big Lime       |       |              | 1661 | 1800   |                   |             |         |
| Slate & Shells |       |              | 1800 | 1900   |                   |             |         |
| Weir Sand      |       |              | 1900 | 2074   |                   |             |         |
| Total Depth    |       |              |      | 2076'  |                   |             |         |



