



Company SAM BEREN W. L. THAXTON
 Address 516- 4th. MARIETTA, OHIO
 Farm W. H. THOMAS
 Tract _____ Acres _____ Lease No. _____
 Well (Farm) No. -3- Serial No. 1713
 Elevation (Spirit Level) 774
 Quadrangle CLENDENIN SC
 County KANAWHA District CABIN CREEK
 Engineer B. E. Melz
 Engineer's Registration No. 9
 File No. _____ Drawing No. _____
 Date 10-6-49 Scale 1"-400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-679-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

65 0 221

WM. THOMAS HEIRS NO. 3 (1713) WELL.

679A

Cabin Creek District, Kanawha County, W. Va.
 By W. L. Thaxton, Box 147, Sissonville, W. Va.
 Abandoned under permit Kan-.....-A?
 On.....acres, on Kelly Creek.
 Elevation, 774' L.
 Drilling completed March 13, 1919.
 13" casing, 28'; 8 $\frac{1}{4}$ ", 1191'; 6 $\frac{5}{8}$ ", 1544'; 2" tubing, 1946'; all left in.
 Formerly Virginian Gasoline & Oil Co. well.
 Oil well. Record to Dept. of Mines stamped Jan. 23, 1950.
 Record to RCT from Mrs. Griffith May 26, 1950. Old File No. 1456.

	Top.	Bottom.
Gravel	0	28
Slate and shells	28	50
Coal	50	53
Slate and shells	53	245
Coal	245	250
Slate and shells	250	300
Sand	300	500
Slate and shells	500	525
Sand	525	590
Slate and shells	590	610
Sand	610	740
Slate	740	790
Sand	790	930
Slate	930	950
Sand	950	1135
Red rock	1135	1145
Lime shells	1145	1160
Red rock	1160	1175
Lime	1175	1190
Sand	1190	1280
Slate	1280	1292
Red rock	1292	1330
Maxton Sand	1330	1390
Slate	1390	1440
Little Lime	1440	1480
Slate	1480	1500
Lime	1500	1520
Pencil Cave	1520	1530
Big Lime	1530	1695
Red rock	1695	1730
Sand (first oil, 1925-1944') (first gas, 1804'; second gas, 1840') (sand hard from 1925 to 1935' but rich with oil. Best oil from 1935 to 1944'. Sand softer, 2 feet of pocket)		1730 - 1944
Total depth		1946



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Formerly Virginian Gasoline & Oil Company

WELL RECORD

Permit No. KAN-679-A

Oil or Gas Well X (KIND)

1456

Company W. L. Thaxton
Address P. O. Box 147 - Sissonville, W. Va.
Farm Wm. Thomas Heirs Acres _____
Location (waters) Kelleys Creek
Well No. 3, Sr. 1713 Elev. 774.'
District Cabin Creek County Kanawha
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____

Drilling commenced _____
Drilling completed March 13, 1919
Date Shot _____ From _____ To _____
With _____

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13	28	28	
10			Size of
8 1/2	1191	1191	
6 5/8	1544	1544	Depth set
5 3/16			
3			Perf. top
2	1946	1946	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Gravel			0	28			
Slate & shells			28	50			
Coal			50	53			
Slate & shells			53	245			
Coal			245	250			
Slate & shells			250	300			
Sand			300	500			
Slate & shells			500	525			
Sand			525	590			
Slate & shells			590	610			
Sand			610	740			
Slate			740	790			
Sand			790	930			
Slate			930	950			
Sand			950	1135			
Red Rock			1135	1145			
Lime Shells			1145	1160			
Red Rock			1160	1175			
Lime			1175	1190			
Sand			1190	1280			
Slate			1280	1292			
Red Rock			1292	1330			
Maxon Sand			1330	1390			
Slate			1390	1440			
Little Lime			1440	1480			
Slate			1480	1500			
Lime			1500	1520			
Pencil Cave			1520	1530			
Big Lime			1530	1695			
Red Rock			1695	1730			
Sand			1730	1944			
First Oil			1925	1944			
Total Depth				1946			



Sand hard from 1925 to 1935' but rich with oil. Best oil from 1935' to 1944', sand softer - 2 feet of pocket
First gas 1804' - Second Gas 1840'