



683-A	S	5.09
# 689	W	2.16
684-A	S	5.10
# 1134	W	2.44
694-A	S	4.95
# 1195	W	2.35
695-A	S	5.37
# 926	W	2.51

KAN-683-A-#689
 KAN-684-A-#1134
 KAN-694-A-#1195
 KAN-695-A-#926

Company SAM BEREN
 Address 516-4th St., MARIETTA, OHIO
 Farm SUNDAY CREEK COAL CO
 Tract _____ Acres _____ Lease No. 9279
 Well (Farm) No. SEE ABOVE Serial No. 689 1134
 Elevation (Spirit Level) SEE ABOVE
 Quadrangle CLENDENIN SC
 County KANAWHA District CABIN CREEK
 Engineer G. E. Kels
 Engineer's Registration No. 9
 File No. _____ Drawing No. _____
 Date 10-5-49 Scale 1" - 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. See Above

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

"IMPERIAL" TRACING CLOTH
K & E CO., N. Y.

6-0-216

SUNDAY CREEK COAL CO. NO. 1134 WELL.

(5000000) LITHO *C11 .ON .00 JACO JAMES YADUS

Cabin Creek District, Kanawha County, W. Va.
 By W. L. Thaxton, Box 147, Sissonville, W. Va.
 Abandoned under permit Kan-.....-A?
 On #.....acres.
 Elevation, 1411' L.
 Drilling commenced May 5, 1920; completed July 16, 1920.
 Shot July 26, 1920.
 8 1/4" casing, 925'; 6 5/8", 2173'; 2" tubing, 2568'; all left in.
 Oil well. Record to Dept. of Mines stamped Feb. 2, 1950.
 Record to RCT from Mrs. Griffith Sept. 9, 1950. Old File No. 1466.

684A

	Top.	Bottom.
Conductor	0	12
Sand	12	80
Slate	80	115
Sand	115	130
Slate	130	205
Sand	205	245
Slate	245	260
Sand	260	300
Slate	300	315
Sand	315	350
Slate	350	360
Sand	360	370
Coal	370	373
Slate	373	390
Sand	390	450
Lime	450	475
Sand	475	490
Slate	490	500
Sand	500	550
Slate	550	565
Sand	565	600
Slate	600	630
Sand	630	690
Slate	690	725
Sand	725	735
Slate	735	775
Coal	775	778
Lime	778	800
Slate	800	855
Sand	855	880
Slate	880	930
Sand	930	1000
Slate	1000	1065
Sand	1065	1090
Slate	1090	1110
Sand	1110	1135
Slate	1135	1165
Sand	1165	1195
Slate	1195	1220
Sand	1220	1275
Slate	1275	1280
Salt Sand	1280	1535
Slate	1535	1555
Sand	1555	1590
Slate	1590	1635

(OVER)

SUNDAY CREEK COAL CO. NO. 1134 WELL (Continued).

	Top.	Bottom.
Sand	1635	1755
Lime	1755	1765
Sand	1765	1795
Red rock	1795	1830
Sand	1830	1860
Red rock	1860	1960
Lime	1960	2010
Sand	2010	2035
Slate	2035	2040?
Lime	2045?	2090
Slate	2090	2110
Little Lime	2110	2130
Pencil Cave	2130	2145
Big Lime	2145	2325
Big Injun Sand	2325	2370
Slate	2370	2380
Weir Sand	2380	2566
Slate	2566	2568
Total depth		2568
	2570	
	2580	
	2590	
	2600	
	2610	
	2620	
	2630	
	2640	
	2650	
	2660	
	2670	
	2680	
	2690	
	2700	
	2710	
	2720	
	2730	
	2740	
	2750	
	2760	
	2770	
	2780	
	2790	
	2800	
	2810	
	2820	
	2830	
	2840	
	2850	
	2860	
	2870	
	2880	
	2890	
	2900	
	2910	
	2920	
	2930	
	2940	
	2950	
	2960	
	2970	
	2980	
	2990	
	3000	

(OVER)



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1466

Permit No. KAU-684-A

WELL RECORD

Oil or Gas Well X (KIND)

Company W. L. Thaxton
Address Box 147 - Sissonville, W. Va.
Farm Sunday Creek Coal Co. Acres _____
Location (waters) Kelleys Creek
Well No. 1134 Elev. 1411'
District Cabin Creek County Kanawha
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced May 5, 1920
Drilling completed July 16, 1920
Date Shot 7/26/20 From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of _____
8 1/4	925	925	
6 5/8	2173	2173	Depth set _____
5 3/16			
3			Perf. top _____
2	2568	2568	Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor			0	12			
Sand			12	80			
Slate			80	115			
Sand			115	130			
Slate			130	205			
Sand			205	245			
Slate			245	260			
Sand			260	300			
Slate			300	315			
Sand			315	350			
Slate			350	360			
Sand			360	370			
Coal			370	373			
Slate			373	390			
Sand			390	450			
Lime			450	475			
Sand			475	490			
Slate			490	500			
Sand			500	550			
Slate			560	565			
Sand			565	600			
Slate			600	630			
Sand			630	690			
Slate			690	725			
Sand			725	735			
Slate			735	775			
Coal			775	778			
Lime			778	800			
Slate			800	855			
Sand			855	880			
Slate			880	930			
Sand			930	1000			
Slate			1000	1065			
Sand			1065	1090			
Slate			1090	1110			
Sand			1110	1135			
Slate			1135	1165			
Sand			1165	1195			
Slate			1195	1220			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			1220	1275			
Slate			1275	1280			
Salt Sand			1280	1535			
Slate			1535	1555			
Sand			1555	1590			
Slate			1590	1635			
Sand			1635	1755			
Lime			1755	1765			
Sand			1765	1795			
Red Rock			1795	1830			
Sand			1830	1860			
Red Rock			1860	1960			
Lime			1960	2010			
Sand			2010	2035			
Slate			2035	2040			
Lime			2045	2090			
Slate			2090	2110			
Little Lime			2110	2130			
Pencil Cave			2130	2145			
Big Lime			2145	2325			
Inum Sand			2325	2370			
Slate			2370	2380			
Weir			2380	2566			
Slate			2566	2568			
Total Depth			2568				

370

DEPARTMENT OF MINES
BUREAU OF METAL INDUSTRY

Date _____, 19__

APPROVED _____, Owner

By _____

(Title)