



Winifrede Coal Co.  
506.8 ac

Chelyan Coal & Land Co.  
3576 ac

Lafollette, Robson & Prichard, Tract "A"  
1951 ac

1950

2036 W  
911

New Location   
Drill Deeper   
Abandonment

FEB 1 1953

Company	The Pure Oil Company		
Address	Newark, Ohio Box 551		
Farm	Winifrede Coal Co.		
Tract	Acres	Lease No.	
	506.8	251	
Well (Farm) No.	3	Serial No.	321
Elevation (Spirit Level)	1325		
Quadrangle	Peytona		
County	District		
Kanawha	Cabin Creek		
Engineer	J. S. [Signature]		
Engineer's Registration No.	Ohio-2912		
File No.	Drawing No.		
Date	Scale		
2-1-50	1" = 400'		

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. KAN-687-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

IMPERIAL TRACING CLOTH  
K & E CO., N.Y.

WINIFREDE COAL CO. NO. 3 WELL.

Cabin Creek District, Kanawha County, W. Va.  
 By The Pure Oil Co., Box 551, Newark, Ohio.  
 Abandoned under permit Kan-.....-A?  
 On.....acres.

Elevation, 1325' L.

Surface and minerals owned by Winifrede Coal Co., 906 Kanawha Valley  
 Bank Bldg., Charleston, W. Va.

Drilling commenced March 21, 1915; completed July 12, 1915.

Volume, 431,000 cu. ft., natural.

Water, 1255, 1440, 1895'.

12 $\frac{1}{2}$ " casing, 35'; 10", 182'; 8 $\frac{1}{2}$ ", 1847' (pulled); 6 $\frac{5}{8}$ ", 2312'; 2" tubing,  
 2900'.

Coal was encountered at 125-130, 380-390, and 740-745'.

Gas well. Record to Dept. of Mines dated Jan. 31, 1950.

Record to RGT from Mrs. Griffith June 24, 1951. Old File No. 1551.

	Top.	Bottom.
Gravel	0	35
Sand	35	125
Coal	125	130
Sand and slate	130	380
Coal	380	390
Sand, slate, and lime	390	740
Coal	740	745
Lime, sand, and slate	745	910
Salt Sand	910	1140
Slate	1140	1152
Salt Sand (water, 1255')	1152	1275
Slate and shells	1275	1395
Salt Sand (water, 1440')	1395	1625
Slate and lime	1625	1870
Maxton Sand (water, 1895')	1870	1960
Sand and red rock	1960	2135
Little lime	2135	2210
Big lime (gas, 2357')	2210	2357
Big Injun Sand	2357	2445
Slate and shells	2445	2830
EDown shale	2830	2850
Berea Sand (gas, 2860')	2850	2871
Slate	2871	2900
Total depth		2900
Total depth after plugged back		2877



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1551

WELL RECORD

Permit No. 687-1 Oil or Gas Well Gas  
(KIND)

Company Box 551 - Newark, Ohio  
Address Winifrede Coal Co.  
Farm Cabin Creek Acres \_\_\_\_\_  
Location (waters) \_\_\_\_\_  
Well No. Cabin Creek Elev. 1325  
District \_\_\_\_\_ County Winifrede Coal Co.  
The surface of tract is owned in fee by Winifrede Coal Co., Charleston, W. Va.  
Address \_\_\_\_\_  
Mineral rights are owned by Winifrede Coal Co., Charleston, W. Va.  
Address \_\_\_\_\_  
Drilling commenced 7/12/55  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16	35'	35'	
13	182'	182'	
10	1817'	None	Size of
8 1/4	2312'	2312'	
6 5/8			Depth set
5 3/16			
3	2500'	2500'	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 451 MCF Natural Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 1255' feet 1110', 1895' feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 125 FEET 60 INCHES  
710 FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Gravel			0	25			
Sand			35	125			
Coal			125	130			
Sand & slate			130	300			
Coal			300	390			
Sand, slate & lime			390	710			
Coal			710	715			
Lime, sand & slate			715	910			
Salt sand			910	1110			
Slate			1110	1152			
Salt Sand			1152	1275	Water	1255'	
Slate & shells			1275	1395			
Salt sand			1395	1625	Water	1110'	
Slate & lime			1625	1870			
Maxon			1870	1960	Water	1095'	maxon water
Sand & red rock			1960	2135			
Little Lime			2135	2210	Gas	2357'	
Big Lime			2210	2357			
BRUN SAND			2357	2415			
Slate & shells			2415	2830			
Brown shale			2830	2850			
Berea Sand			2850	2871	Gas	2860'	
Slate			2871	2900			
				2900			
				2877	TOTAL DEPTH		
					F.O. after plugged back.		



