



Company KREB'S OIL COMPANY, INC.
 Address Box 213, CHARLESTON, W. VA.
 Farm VELMA PRICE
 Tract _____ Acres 34 Lease No. 47682
 Well (Farm) No. 1 Serial No. 2825
 Elevation (Spirit Level) AS ABOVE - 704'
 Quadrangle CLENDENIN
 County KANAWHA District ELK NW
 Engineer C. E. KREBS C. E. Krebs
 Engineer's Registration No. 9
 File No. _____ Drawing No. _____
 Date 2-8-50 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. KAN-690-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

A. M. PRICE NO. 1 WELL.

(2825)

690A

Blk District, Kanawha County, W. Va.
 By Krebs Oil Co., Box 213, Charleston, W. Va.
 Abandoned under permit Kan-.....-A?
 On 3/4 acres, on Blue Creek.
 Elevation, 704' L.
 Surface and minerals owned by Miss Velma Price, Blue Creek, W. Va.
 Drilling commenced Jan. 23, 1912; completed Feb. 28, 1912.
 10" casing, 42'; 8 1/4", 524'; 6 3/8", 1505'; all left in.
 10 bailers water per hour at 95'. Hole full salt water at 975'.
 Oil well. Record to Dept. of Mines stamped Feb. 17, 1950.
 Record to RCF from Mrs. Griffith May 26, 1950. Old File No. 1448.

	Top.	Bottom.
Black slate	505	- 522
Sand	522	- 630
Black slate	630	- 710
Sand	710	- 830
Salt Sand	830	- 1360
Red rock	1360	- 1365
Lime	1365	- 1410
R. Lime	1410	- 1440
Little Lime	1440	- 1478
Slate	1478	- 1483
More Little Lime	1483	- 1495
Big Lime	1495	- 1668
Big Injun Sand	1668	- 1680
Red rock	1680	- 1693
Slate and shells	1693	- 1730
Sand (oil)	1730	- 1736
Slate	1736	- 1743
Oil sand (oil, 1752-1760')	1743	- 1760
Total depth		1764

Elk District, Kanawha County, W. Va. 690A
 By Virginian Gasoline & Oil Co., Charleston, W. Va.
 Abandoned under permit Kan-.....-A?
 On 31 acres, on Blue Creek.
 Elevation, 712' L.
 Surface and minerals owned by A. E. Price, Charleston, W. Va.
 Drilling commenced Jan. 23, 1912; completed, Feb. 28, 1912.
 Fresh water at 95'.
 Salt water at 975'.
 10" casing, 42'; 8 $\frac{1}{4}$ ", 524'; 6 $\frac{5}{8}$ ", 1505'; all left in.
 Oil well. Abandonment reported to Dept. of Mines Feb. 13, 1941.
 Record to RCT from Mrs. Griffith April 12, 1941. Old File No. 882.

	Top.	Bottom.
(10 bailers water per hour at 95')		
Black slate	505	522
Sand	522	630
Black slate	630	710
Sand	710	830
Salt Sand (hole full salt water, 975')		
(gas, 840') (Salt Sand, 840'?)	830	1360
Red rock	1360	1365
Lime	1365	1410
R. lime	1410	1440
Little Lime	1440	1478
Slate	1478	1483
More Little Lime	1483	1495
Big Lime	1495	1668
Big Injun Sand	1668	1680
Red rock	1680	1693
Slate and shells	1693	1730
Sand	1730	1736
Slate	1736	1743
Oil sand (oil, 1752-1760')	1743	1760
Total depth		1764

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

882

WELL RECORD

Permit No. KAN-690-A

Oil or Gas Well Oil
(KIND)

Company	VIRGINIAN GASOLINE & OIL COMPANY			Casing and Tubing	Used in Drilling	Left in Well	Packers
Address	Charleston, W. Va.			Size			Kind of Packer
Farm	A. E. Price	Acres	31	16			
Location (waters)	Blue Creek			13			
Well No.	2825	Elev.	712	10	42	42	Size of
District	Elk	County	Kanawha	8 1/4	524	524	Depth set
The surface of tract is owned in fee by	A. E. Price			6 5/8	1505	1505	
Mineral rights are owned by	same			5 3/16			
Drilling commenced	January 23, 1912			3			Perf. top
Drilling completed	February 28, 1912			2			Perf. bottom
Date shot	Depth of shot			Liners Used			Perf. top
Open Flow	/10ths Water in	Inch					Perf. bottom
	/10ths Merc. in	Inch					
Volume	Cu. Ft.			CASING CEMENTED	SIZE	No. Ft.	Date
Rock Pressure	lbs.	hrs.					
Oil	bbls., 1st 24 hrs.			COAL WAS ENCOUNTERED AT	FEET	INCHES	
Fresh water	95	feet	feet		FEET	INCHES	
Salt water	975	feet	feet		FEET	INCHES	

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Black Slate			505	522			10 Bailers per hr. at 95'
Sand			522	630			
Black Slate			630	710			
Sand			710	830			
Salt Sand			830	1360	Salt Water	975'	Salt Water at 975' hole full Salt Sand 840'
Red Rock			1360	1365	Gas	840'	
Lime			1365	1410			
R. Lime			1410	1440			
Little Lime			1440	1478			
Slate			1478	1483			
Mere Little Lime			1483	1495			
Big Lime			1495	1668			
Big Injun			1668	1680			
Red Rock			1680	1693			
Slate & Shells			1693	1730			
Sand			1730	1736			
Slate			1736	1743			
Oil Sand			1743	1760	Oil	1752' to 1760'	
Total Depth				1764			



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1448

690-A

WELL RECORD

Permit No. _____

Oil or Gas Well _____ (KIND)

Company Krebs Oil Company
 Address Box No. 213 Charleston, W. Va.
 Farm A. E. Price Acres 34
 Location (waters) Blue Creek
 Well No. 1 Elev. 704'
 District Blk County Kanawha
 The surface of tract is owned in fee by Miss Volma Price
 Address Blue Creek, W. Va.
 Mineral rights are owned by Miss Volma Price
 Address Blue Creek, W. Va.
 Drilling commenced January 23, 1912
 Drilling completed February 20, 1912
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	42'	42'	Size of
8 1/4	524'	524'	
6 5/8	1505'	1505'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Da _____
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Black Slate			505	522			10 Bailers per hour at 95'
Sand			522	630			
Black Slate			630	710			
Sand			710	830			Salt Water at 975' - hole full
Salt Sand			830	1360			
Red Rock			1360	1365			Gas in Salt Sand 840'
Lime			1365	1410			
R. Lime			1410	1440			
Little Lime			1440	1478			
Slate			1478	1483			
More Little Lime			1483	1495			
Big Lime			1495	1668			
Big Injun			1668	1680			
Red Rock			1680	1693			
Slate and shells			1693	1730			
Sand			1730	1736			Oil from 1752' -- 1760'
Slate			1736	1743			
Oil Sand			1743	1760			
Total Depth				1764'			

