



Company Owens, Libbey-Owens Gas Dept.

Address Box 4158 Charleston 4 W. Va.

Farm Great Kanawha Petroleum, Coal & Lumber Co.

Tract Clemens Acres 2000 Lease No. 91

Well (Farm) No. 7 & 8 Serial No. 101 & 102

Elevation (Spirit Level) #7 - 1080.0 Top 6" Casing

#8 - 1104.2 " " "

Quadrangle Peytona 2 { 7 - S 3.60" W 3.32"

{ 8 - S 3.39" W 3.60"

County Kanawha District Loudon

Engineer T.S. Flournoy

Engineer's Registration No. 269

File No. _____ Drawing No. _____

Date Apr. 5, 1950 Scale 1" = 1000'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
KAN - 74 - A - 7
FILE NO. KAN - 715 - A - 8

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

"IMPERIAL" TRACING CLOTH
K & E CO., N. Y.

6-6 238



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Oil or Gas Well Gas
(KIND)

WELL RECORD

Permit No. Ab 715-A

Company OWENS, LIBBY-OWENS GAS DEPARTMENT
Address P. O. Box 4158, Charleston 4, W. Va.
Farm Great Kanawha Petroleum Acres 2,000
Coal & Lumber Co.
Location (waters)
Well No. Old No. 102, farm No. 8 Elev. 1104.2
District Loudon County Kanawha
The surface of tract is owned in fee by
Address
Mineral rights are owned by Great Kanawha Petroleum
Coal & Lumber Co. Address P. O. Box 2
Shasokin, Pa.
Drilling commenced 1-6-23
Drilling completed 2-10-23
Date Shot Not shot From To
With
Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume 823 M Big Line Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>ONG Anchor</u>
13			Size of
10	<u>264'</u>	<u>264'</u>	<u>6-5/8" x 2"</u>
8 1/4			Depth set
6 5/8	<u>1368'</u>	<u>1368'</u>	<u>1104'</u>
5 3/16			Perf. top <u>2 5'</u>
3			Perf. bottom <u>perf.</u>
2	<u>1534'</u>	<u>1534'</u>	<u>joints</u>
Liners Used			Perf. top <u>12' off</u>
			Perf. bottom <u>bottom</u>

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT FEET INCHES
FEET INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	25			
Sand			25	80	Water	70'	
Slate			80	155			
Coal			155	158			
Slate			158	160			
Sand			160	170			
Slate			170	240			
Coal			240	245			
Slate			245	260			
Sand			260	315			
Slate			315	325			
Sand			325	425			
Slate			425	433			
Sand			433	465			
Slate			465	518			
Sand			518	820	Water	640'	
Slate			820	840			
Sand			840	855			
Coal			855	857			
Slate & Shells			857	870			
Lime			870	920			
Salt Sand			920	1045			
Slate			1045	1050			
Lime			1050	1070			
Sand			1070	1247			
Slate			1247	1252			
Lime			1252	1272			
Slate			1272	1282			
Little Lime			1282	1300			
Pencil Cave			1300	1305			
Black Lime			1305	1340			
Big Lime			1340	1534	Gas blew down to gas gas	1425-30 1490 1512	1,055 M 381 M 492 M 1,205 M
Total Depth				1534			



