



New Location...   
 Drill Deeper...   
 Abandonment...

Company COLUMBIAN CARBON COMPANY  
 Address P.O. Box 873 CHARLESTON, W.VA.  
 Farm CAMPBELLS CREEK COAL CO.  
 Tract \_\_\_\_\_ Acres 345 Lease No. C 299  
 Well (Farm) No. 2 Serial No. GW 320  
 Elevation (Spirit Level) 964.25'  
 Quadrangle CHARLESTON S.E. 8-5260 W090  
 County KANAWHA District LOUDON  
 Engineer R. B. Anderson  
 Engineer's Registration No. 2074  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date MAY 31, 1950. Scale 1" = 1320'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. KAN-738-A-2

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-0 237

CAMPBELLS CREEK COAL CO. NO. 2 WELL.

738A

Loudon District, Kanawha County, W. Va.

By Columbian Carbon Co., Box 873, Charleston, W. Va.

Well purchased from Kanawha City Oil & Gas Co.

Abandoned under permit Kan-.....-A?

On.....acres.

Elevation, .....<sup>1</sup> L.

Drilling commenced Feb. 14, 1923; completed Dec. 14, 1923.

10<sup>3</sup>/<sub>8</sub>" casing, 40'; 8<sup>5</sup>/<sub>8</sub>" 600' (545' pulled); 6<sup>3</sup>/<sub>8</sub>" 1420' 3"; 2" tubing, 1638'.  
2" tubing, 1638'; set cage on top 2nd joint at 1589' 5" to 1590'; packer,  
(6<sup>5</sup>/<sub>8</sub>" B. H.), 1458' 2" to 1455' 2".

Coal was encountered at 650-655'.

Gas well. Record to Dept. of Mines stamped June 27, 1950.

Record to RCT from Mrs. Griffith Aug. 17, 1951. Old File No. 1563.

	Top.	Bottom.
Sand	0	45
Slate and shells	45	200
Sand	200	215
Slate and shells	215	465
Sand	465	510
Slate	510	535
Sand	535	590
Slate	590	610
Sand	610	650
Coal	650	655
Slate	655	660
Sand	660	695
Slate	695	698
Sand	698	942
Slate	942	952
Sand	952	985
Slate	985	988
Sand	988	1004
Slate	1004	1006
Sand	1006	1100
Red rock	1100	1105
Slate	1105	1130
Sand	1130	1227
Slate	1227	1230
Red rock	1230	1235
Black lime	1235	1275
Red rock	1275	1280
Slate and shells	1280	1310
Maxton Sand	1310	1360
Little Lime	1360	1397
Slate	1397	1401
White lime shells	1401	1410
Big Lime, dark	1410	1420
Big Lime, white (gas, 1470 and 1475')	1420	1583
Keener Sand	1583	1589
Big Injun Sand	1589	1623
Slate	1623	1638
Total depth		1638 <sup>1</sup> / <sub>2</sub>



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

This well purchased from  
Kanawha City Oil & Gas Co.

Oil or Gas Well X (KIND)

Permit No. KAN-738-A

WELL RECORD

Company Cloumbian Carbon Company  
Address Box 873 Charleston, W.Va.  
Farm Campbells Creek Coal Co. Acres  
Location (waters) Cane Fork of Davis Creek  
Well No. 22 Elev.  
District Indon County Kenawha  
The surface of tract is owned in fee by  
Address  
Mineral rights are owned by  
Address  
Drilling commenced 12-12-23 2-14-23  
Drilling completed 12-14-23  
Date Shot From To  
With  
Open Flow /10ths Water in Inch  
/10ths Merc. in Inch  
Volume Cu. Ft.  
Rock Pressure lbs. hrs.  
Oil bbls., 1st 24 hrs.  
Fresh water feet feet  
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			6-5/8" B.H.
10 - 2"	40'	40'	Size of
8 1/2" 8-5/8"	600'	545'	Pulled
6 5/8"	1420' 3"	1420' 3"	Depth set
5 3/16"			
3"			Perf. top
2"	1638'		Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED	SIZE	No. Ft.	Date
COAL WAS ENCOUNTERED AT 650' FEET 60" INCHES			
FEET	INCHES	FEET	INCHES
FEET	INCHES	FEET	INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			0	45			
Slate & Shells			45	200			
Sand			200	215			
Slate & Shells			215	465			
Sand			465	510			
Slate			510	535			
Sand			535	590			
Slate			590	610			
Sand			610	650			
Coal			650	655			
Slate			655	660			
Sand			660	695			
Slate			695	698			
Sand			698	942			
Slate			942	952			
Sand			952	985			
Slate			985	988			
Sand			988	1004			
Slate			1004	1006			
Sand			1006	1100	Gas	1470' &	1475'
Red Rock			1100	1105			
Slate			1105	1130			
Sand			1130	1227			
Slate			1227	1230			
Red Rock			1230	1235			
Black Lime			1235	1275			
Red Rock			1275	1280			
Slate & Shells			1280	1310			
Maxon Sand			1310	1360			
Little Lime			1360	1397	Slate		
Slate			1397	1401			
White Lime Shells			1401	1410			
Big Lime Dark			1410	1420			
Big Lime White			1420	1583			
Keener			1583	1589			
Injun Sand			1589	1623			
Slate			1623	1638			
TOTAL DEPTH				1638' 6"			

