



COAL NOT OPERATED

750-A	S	3.88
#2	W	2.16
751-A	S	3.88
#4	N	2.05

New Location

Drill Deeper

Abandonment

Company SAM BEREN

Address 516 - 4th St., MARIETTA, OHIO

Farm ETHEL PRICE

Tract \_\_\_\_\_ Acres 26 Lease No. 776

Well (Farm) No. 2-4 Serial No. 2863  
2878

Elevation (Spirit Level) SEE ABOVE

Quadrangle GLENDENIN

County KANAWHA District ELK

Engineer B. C. Kuhl

Engineer's Registration No. 9

File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_

Date 9-28-49 Scale 1" - 400'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. KAN-750-A-#2  
KAN-751-A-#4

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-0 217

ETHEL PRICE NO. 4 WELL.

751A

Elk District, Kanawha County, W. Va.  
By Strauss & Beren, Marietta, Ohio.  
Abandoned under permit Kan-.....-A?  
On 26 acres, on Blue Creek.  
Elevation, 680' L.  
Coal not operated.  
Drilling commenced April 16, 1912; completed May 13, 1912.  
10" casing, 52'; 8 $\frac{1}{4}$ " , 500' (pulled); 6 $\frac{5}{8}$ " , 1471'.  
Oil well. Record to Dept. of Mines stamped Aug. 17, 1950.  
Record to RCT from Mrs. Griffith Nov. 18, 1950. Old File No. 1499.

	Top.	Bottom.
Salt Sand	775	- 1285
Nexton Sand	1385	- 1403
Little Lime	1403	- 1440
Big Lime	1462	- 1592
Oil sand	1718	- 1728
Total depth		1742



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1499

WELL RECORD

Permit No. KAN-751-A Oil or Gas Well \_\_\_\_\_ (KIND)

Company Strauss & Beren  
Address Marietta, Ohio  
Farm Ethel Price Acres 26.  
Location (waters) Blue Creek  
Well No. 4 Elev. 680'  
District Elk County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Coal Not Operated  
Address \_\_\_\_\_  
Drilling commenced Apr. 16, 1912  
Drilling completed May 13, 1912  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	52'	52'	Size of
8 1/4	500'	None	
6 5/8	1471'	1471'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt Sand			775	1285			
Maxon Sand			1385	1403			
Lt. Lime			1403	1440			
Bg. Lime			1462	1592			
Oil Sand			1718	1728			
TOTAL DEPTH				1742			

