



Surface owned by Wheeler W. James.  
 Address: Mr. Wheeler W. James, R.F.D. No. 1, Box No. 205, Elkview, W. Va.  
 No Coal ever sold under this tract of land, if any Coal it belongs to the owner of the surface.

S 1.30  
 W 4.08

- New Location
- Drill Deeper
- Abandonment

On 800' Map No. 90, Sqs. S 66 W 46.

Company Road Supply Co.  
 Address Salem, W. Va.  
 Farm Jesse James  
 Tract \_\_\_\_\_ Acres 102 Lease No. \_\_\_\_\_  
 Well (Farm) No. 4 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) Floor - 888.94  
Ground - 886.74  
 Quadrangle Clendenin  
 County Kanawha District Big Sandy  
 Engineer Elworth Haines  
 Engineer's Registration No. 2221  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Aug. 10th, 1950, Scale 1" = 400 Feet

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. KAN-767-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1492

WELL RECORD

Permit No. Kaw-767-02 Oil or Gas Well X (KIND)

Company Read Supply Company  
 Address 184 East Main St., Salem, W. Va.  
 Farm Jesse James Acres \_\_\_\_\_  
 Location (waters) \_\_\_\_\_  
 Well No. 4 Elev. \_\_\_\_\_  
 District Big Sandy County Kanawha  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced No record  
 Drilling completed \_\_\_\_\_  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			Size of
10			
8 1/4	<u>442'</u>	<u>442'</u>	Depth set
6 5/8	<u>1689'</u>	<u>1689'</u>	
5 3/16			Perf. top
3			Perf. bottom
2	<u>1963'</u>	<u>1963'</u>	Perf. top
Liners Used			Perf. bottom

CASING CEMENTED No SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 475 FEET 60 INCHES  
815 FEET 60 INCHES FEET INCHES  
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			470	475			
Coal			810	815			
Salt Sand			1055	1495	Water - 1095-1152		Hole full
Big Lime			1667	1800			
Big Injun Sand			1800	1844	Gas - 1850'		
Squaw Sand			1950	1963	Oil and Gas - 1952		
Total Depth				1963			



(Over) NOV 18 1950

