



New Location   
 Drill Deeper   
 Abandonment

Company SAM BEREN (Mines & Oil Products Co.)  
 Address 516-4th ST. MARIETTA, OHIO  
 Farm NANCY E. MYERS  
 Tract \_\_\_\_\_ Acres 40.0 Lease No. 7611  
 Well (Farm) No. 1-3-4-5 Serial No. 773 865  
 Elevation (Spirit Level) SEE ABOVE  
 Quadrangle CLENDENIN  
 County KANAWHA District ELK  
 Engineer C. E. Kutz  
 Engineer's Registration No. 9  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 9-26-49 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-812-A-#1  
KAN-813-A-#3  
KAN-814-A-#4  
KAN-815-A-#5

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

IMPERIAL TRACING CLOTH K & E CO., N. Y.  
 NANCY E. MYERS (M. 1 (773), M. 3 (847), M. 4 (865), M. 5 (866)) - (Mines & Oil Products Co.) SAM BEREN KAN-812-13-14-15-A



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1573

WELL RECORD

Permit No. KAN-814-A

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Valley Steel Products Company  
 Address Saint Louis, Mo.  
 Farm Nancy E. Myers Acres 40  
 Location (waters) Three Mile  
 Well No. 4 Elev. 1147'  
 District Elk County Kanawha  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by Coal Not Operated  
 Address \_\_\_\_\_  
 Drilling commenced Jan. 4, 1917  
 Drilling completed Mar. 4, 1917  
 Date Shot 3-8-17 From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of _____
8 1/4	<u>690'</u>	<u>None</u>	Depth set _____
6 3/4			
<del>5 1/2</del> <u>4-7/8"</u>	<u>1820'</u>	<u>1820'</u>	
3			Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 520 FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal <del>52</del>			520	525			
Salt Sand			1120	1590			
Maxon Sand			1700	1755			
Lt. Lime			1760	1802			
Pencil Cave			1802	1807			
Big Lime			1807	1990			
Weir Sand			2086	2235			
TOTAL DEPTH				2237			

