



New Location  
 Drill Deeper  
 Abandonment

FEB 1 1953

Company VALLEY STEEL PRODUCTS Co.  
 Address ST. LOUIS, MISSOURI  
 Farm JESSE JAMES  
 Tract          Acres 68 1/2 Lease No.           
 Well (Farm) No. 3 Serial No. F-1622  
 Elevation (Spirit Level) 983  
 Quadrangle CLENDENIN  
 County KANAWHA District BIG SANDY  
 Engineer PAUL E. JOACHIM  
 Engineer's Registration No. 669  
 File No. 72-67 Drawing No.           
 Date APRIL 14, 1951 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. KAN-864-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

JESSE JAMES NO. 3 WELL.

264

Big Sandy District, Kanawha County, W. Va.  
By Valley Steel Products Co., St. Louis, Mo.  
Abandoned under permit Kan-.....-A1  
On 68 $\frac{1}{2}$  acres, on Mill Fork of Jordon Creek.  
Elevation, 989' L.

Date of completion, etc., not given.

8 $\frac{1}{2}$ " casing, 551'; 6 $\frac{3}{4}$ " 1786'; all left in.

Coal was encountered at 560-565'.

Oil well. Record to Dept. of Mines stamped June 6, 1951.

Record to RCT from Mrs. Griffith Aug. 17, 1951. Old File No. 1567.

	Top.	Bottom.
Coal	560	- 565
Salt Sand	1175	- 1600
Maxton Sand	1680	- 1710
Little Lime	1715	- 1760
Big Lime	1765	- 1915
Big Injun Sand	1915	- 1922
Squaw Sand	2048	- 2064
Total depth		2068



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1567

WELL RECORD

Permit No. KAN-804-A

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Valley Steel Products Company  
Address Saint Louis, Mo.  
Farm Jesse James Acres 68 1/2  
Location (waters) Mill Fork of Jordan Cr.  
Well No. 3 Elev. 983'  
District Big Sandy County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4	551'	551'	
6 5/8	1786'	1786'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 560 FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			560	565			
Salt Sand			1175	1600			
Maxon Sand			1680	1710			
Little Lime			1715	1760			
Big Lime			1765	1915			
Big Injun			1915	1922			
Squaw Sand			2048	2064			
TOTAL DEPTH				2068			

