



Company VALLEY STEEL PRODUCTS Co.  
 Address ST. LOUIS, MISSOURI  
 Farm T. C. MEDDERS  
 Tract \_\_\_\_\_ Acres 71 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. F-1696  
 Elevation (Spirit Level) 1093  
 Quadrangle CLENDENIN  
 County KANAWHA District BIG SANDY  
 Engineer PAUL E. JOACHIM  
 Engineer's Registration No. 669  
 File No. 76-63 Drawing No. \_\_\_\_\_  
 Date APRIL 14, 1951 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. KAN-870-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-0 211

T. C. MEDDERS O/B, / (F-1696) - VALLEY STEEL PRODUCTS Co, - KAN-870-A

T. C. MEDDERS NO. 1 WELL.

870A

Big Sandy District, Kanawha County, W. Va.  
By Valley Steel Products Co., St. Louis, Mo.  
Abandoned under permit Kan-.....-A?  
On 71 acres.  
Elevation, 1093' L.  
Date of completion, etc., not given.  
8 $\frac{1}{4}$ " casing, 655'; 6 $\frac{5}{8}$ " , 1775'.  
Oil? well. Record to Dept. of Mines stamped June 6, 1951.  
Record to RCT from Mrs. Griffith Jan. 16, 1952. Old File No. 1626.

	Top.	Bottom.
Salt Sand	1115	- 1280
Maxton Sand	1659	- 1670
Little Lime	1690	- 1715
Big Lime	1760	- 1920
Pay Sand (Weir?)	2110	- ....
Total depth		2123



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1626

WELL RECORD

Permit No. KAN-876-A

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Valley Steel Products Company  
 Address Saint Louis, Mo.  
 Farm T. C. Medders Acres 71  
 Location (waters) \_\_\_\_\_  
 Well No. 1 Elev. 1093'  
 District Big Sandy County Kanawha  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed \_\_\_\_\_  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/2	655'	655'	
6 5/8	1775'	1775'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt Sand			1115	1280			
Maxon Sand			1659	1670			
Little Lime			1690	1715			
Big Lime			1760	1920			
Pay Sand	(Water?)		2110				
TOTAL DEPTH				2123			



JAN 16 1952