



6.71
5.87
0.84

6.18
5.87
0.31

1457

#2	2.74 W
(45)	6.71
	0.89
#4	2.8 W
(47)	6.8
	0.98

COAL NOT OPERATED

FEB 1 1953

New Location
 Drill Deeper
 Abandonment

Company SEATEX OIL CO., INC.
 Address FALLING ROCK, W. VA.
 Farm J. S. BRINEGAR
 Tract 1 Acres 60 Lease No. _____
 Well (Farm) No. 2-4 Serial No. 45-47
 Elevation (Spirit Level) 45-1014 47-1030
 Quadrangle CLENDENIN
 County KANAWHA District BIG SANDY
 Engineer C. H. Meeks
 Engineer's Registration No. 773
 File No. _____ Drawing No. _____
 Date 7-21-51 Scale 1" = 1320'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. KRN-888-A-#2
KRN-889-A-#4

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-0.216

J. S. BRINEGAR NO. 4 (47) WELL.

Big Sandy District, Kanawha County, W. Va.
 By Seatex Oil Co., Inc., Falling Rock, W. Va.
 Abandoned under permit Kan-.....-A?
 On 60 acres, on Laurel Fork.
 Elevation, 1030' L.
 Drilling completed June 25, 1909.
 Water, 975'.
 Gas, 1375-1440'. Gas, 1550'. Gas, 1608-1630'. Oil at 1670'.
 16" conductor, 15'; 10" casing, 306' (pulled); 8 $\frac{1}{4}$ " , 860' (pulled);
 6 $\frac{5}{8}$ " , 1312'; 3" tubing, 505'; 2" , 1400'.
 Bottom hole packer, 6 $\frac{5}{8}$ x 8, set at 1404'.
 Gas well. Record to Dept. of Mines stamped Aug. 8, 1951.
 Record to RCT from Mrs. Griffith Nov. 28, 1951. Old File No. 1589.

	Top.	Bottom.
Sand	15	25
Slate, sand, lime, etc.	25	605
Cow Run Sand	605	860
Slate and sand	860	1030
Lime	1030	1075
Red rock	1075	1105
Slate	1105	1115
Red rock	1115	1145
Slate	1145	1195
Lime	1195	1215
Maxton Sand	1215	1235
Little Lime	1235	1275
Red rock	1275	1280
Pencil Cave	1280	1295
Big Lime	1295	1443
Slate and lime shells	1445	1475
Red rock	1475	1495
Lime, shells and slate	1495	1545
Broken sand and slate	1545	1605
Squaw Sand	1605	1700
Slate and shells	1700	1860
Black slate	1860	1875
Little shell	1875	1877
Slate and shells - Berea	1875	1909
Total depth		1909



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1589

WELL RECORD

Permit No. KAN-889-A

Oil or Gas Well _____ (KIND)

Company Sontox Oil Company, Inc.
Address Falling Rock, E. Va.
Farm J. S. Brinegar Acres 60
Location (waters) Leavel Fork
Well No. 4-82-47 Elev. 1030'
District Big Sandy County Kanawha
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____

Drilling commenced _____
Drilling completed June 25, 1909
Date Shot _____ From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16 Conductor	25'		Kind of Packer
13			
10	306		Size of
8 1/4	860		
6 5/8	1312	1312	Depth set
5 3/16			
3	505	505	Perf. top
2	1400	1400	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			15	25			
Slate, sand, lime, etc			25	605			
Cow Run			605	860			
Slate and Sand			860	1030	Water	975'	
Lime			1030	1075			
Red Rock			1075	1105			
Slate			1105	1115			
Red Rock			1115	1145			
Slate			1145	1195			
Lime			1195	1215			
Maxon Sand			1215	1235			
Little Lime			1235	1275			
Red Rock			1275	1290			
Pencil Cave			1290	1295			
Big Lime			1295	1445	Gas	1375 - 1440	
Slate and lime shells			1445	1475			
Red Rock			1475	1495			
Lime, shells and slate			1495	1545			
Broken Sand & slate			1545	1605	Gas	1550	
Squaw Sand			1605	1700	Gas	1600-1650	
Slate & shells			1700	1860	Gas	1670	
Black Slate			1860	1875			
Little shell			1875	1877			
Slate and shells - Berea			1875	1909			
Total Depth				1909			

Bottom hole packer - 6-5/8" x 8"
Depth set 1404'

