

SEBENT MULLINS NO. 3227 (705) WELL.

Blk District, Kanawha County, W. Va. 0458
 By Arthur D. Mackey, Star Route, Reno, Ohio.
 Abandoned under permit Kan-.....-A?
 On 54 acres, on Blue Creek.
 Elevation, ' L.
 Drilling commenced July 8, 1916; completed Sept. 11, 1916.
 Shot Sept. 16, 1916, with 200 qts.
 Oil, 5 bbls., in Weir Sand.
 8" casing, 645' (pulled); 6", 1764'.
 Oil well. Record to Dept. of Mines stamped July 9, 1952.
 Record to ROT from Mrs. Griffith Dec. 2, 1952. O.F.No.1739.

	Top.	Bottom.
Clay	0	140
Sand	140	2290 ^a
Slate	290	305
Sand	305	400
Slate	400	410
Sand	410	465
Slate and shells	455	550
Coal	550	552
Sand	552	710
Lime	710	750
Sand	750	800
Slate	800	885
Sand	885	910
Slate and shells	910	1060
Salt Sand	1060	1540
Slate	1540	1565
Red rock	1565	1675
Maxton Sand	1675	1690
Slate	1690	1707
Little Lime	1707	1737
Slate	1737	1745
Lime	1745	1755
Pencil Cave	1755	1762
Big Lime	1762	1915
Red rock	1915	1957
Lime	1957	1987
Weir Sand (first gas, 2014'; 2nd gas, 2087'; first green oil, 2131')	1987	2174
Total depth		2181



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1739

WELL RECORD

Permit No. KAN-548-A


Oil or Gas Well _____
(KIND)

Company Arthur D. Mackey
 Address Star Route - Reno, Ohio
 Farm Sennett Mullins Acres 5 1/2
 Location (waters) Blue Creek
 Well No. 3227 (705) Elev. _____
 District 11k County Kanawha
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by _____
 Address _____
 Drilling commenced July 3, 1916
 Drilling completed September 11, 1916
 Date Shot 9/16/16 From _____ To _____
 With 200 cts.
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume 5 bbl in Well Cu. Ft. _____
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10			Size of
8 1/4	<u>6 1/2</u>	<u>170 1/2</u>	Depth set
6 1/2	<u>170 1/2</u>	<u>170 1/2</u>	
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay				140			
Sand			140	290			
Slate			290	305			
Sand			305	400			
Slate			400	410			
Sand			410	465			
Slate & Shells			455	550			
COAL			550	552			
Sand			552	710			
Line			710	750			
Sand			750	800			
Slate			800	885			
Sand			885	910			
Slate & Shells			910	1060			
SALT SAND			1060	1540			
Slate			1540	1565			
Red Rock			1565	1675			
WAXON SAND			1675	1690			
Slate			1690	1707			
LITTLE LIME			1707	1737			
Slate			1737	1745			
Line			1745	1755			
Pencil Cove			1755	1762			
BIG LIME			1762	1915			
Red Rock			1915	1957			
Line			1957	1987			
WIER SAND			1987	2174			
Total Depth				2181			
					First Gas 2014'		
					2nd Gas 2087'		
					First Green Oil 2131'		



(Over) 2-1952