



New Location   
 Drill Deeper   
 Abandonment

JAN 28 1953

14W  
 0137P

Company	GEORGE E. BAKER
Address	CLARKSBURG, W. VA.
Farm	CRENSHAW, ET AL.
Tract	Acres 200 Lease No.
Well (Farm) No.	5 Serial No. F-8282
Elevation (Spirit Level)	931.63
Quadrangle	PEYTONA
County	KANAWHA District MALDEN
Engineer	PAUL E. JOACHIM
Engineer's Registration No.	669
File No.	66-51 Drawing No.
Date	DEC. 18, 1952 Scale 1"=1000'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. KAN-975-B

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6 214



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1762

WELL RECORD

Permit No. 925A

Oil or Gas Well (KIND)

Company Owens, Libbey-Owens Gas Dept.  
 Address P. O. Box 4158 - Charleston, W. Va.  
 Farm L. O. Cronshaw Acres \_\_\_\_\_  
 Location (waters) \_\_\_\_\_  
 Well No. 5, Sr. 283 Elev. 931.63'  
 District Malden County Kanawha  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced April 27, 1927  
 Drilling completed June 14, 1927  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume 235,000 Cu. Ft.  
 Rock Pressure 2147 lbs. 42 hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13	Conductor	13'	Anchor
10			Size of
8 1/4		425'	
6 5/8		1407'	Depth set <u>1428'</u>
5 3/16			
3 - 1/2"		1874'	Perf. top <u>1802'</u>
2			Perf. bottom <u>1873'</u>
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	13			
Slate			13	80			
Coal			80	83			
Slate			83	136			
Coal			136	138			
Sand			138	240			
Slate			240	253			
Sand			253	304			
Coal			304	306			
Lime			306	470			
Slate			470	512			
Lime			512	634			
Slate			634	712			
Salt Sand			712	1168			
Slate			1168	1172			Water 870' - 3 bailers pr. hr.
Red Rock			1172	1185			Water - hole full - 915'
Slate			1185	1218			
Red Rock			1218	1238			
Slate			1238	1250			
Haxton Sand			1250	1303			
Slate			1303	1305			
Little Lime			1305	1343			
Slate			1343	1363			
Lime			1363	1373			
Pencil Cave			1373	1377			
Big Lime			1377	1544	Gas 1439'		
Big Injun			1544	1582	Gas 1519'		
Slate and shell			1582	1762	Gas 1762'	- 256,000 cu. ft.	
Weir Sand			1762	1815'	Gas 1792'	- 1797' - 286,000	
Total Depth				1873			

